Journal of Applied Polymer Science

Author Index to Volume 68

Abd Allah, R. A. See Shehap, A., 687
Abd El-Kader, F. H. See Shehap, A., 687
Abdel-Mohdy, F. A. See Waly, A., 2151
Abiru, T.
—; Mizuno, A.; Weigand, F.: Microstructural Characterization of Propylene–Butene-1 Copolymer Using Temperature Rising Elution Fractionation, 1493
Ahn, T. O. See Cho, K., 1925
Aiba, S. See Maeda, Y., 2095
Akashi, M. See Seto, F., 1773
Akiyama, S. See Kano, Y., 727
Akovali, G.
—; Karababa, E.: Compatibility Study of Waste Poly(ethylene terephthalate) with Poly(vinyl chloride). II, 765
Alexandratos, S. D.
—; Beauvais, R.; Duke, J. R.; Jorgensen, B. S.: Functionalized Polymer Foams as Metal Ion Chelating Agents with Rapid Complexation Kinetics, 1911
Alex, R. See Ramesan, M. T., 153
Alfani, R.
—; Iannace, S.; Nicolais, L.: Synthesis and Characterization of Starch-Based Polyurethane Foams, 739
Allen, N. S. See Benavides, R., 1, 11
Allen, S. See Milot, C., 571
Aly, A. S. See Waly, A., 2151
Aminabhavi, T. M.
—; Harlapur, S. F.: Effect of Carbon Black Loading on Fluoroelastomer–Solvent Interactions, 815
Aminullah, A. See Mohd Ishak, Z. A., 2189
Aranguren, M. I. See Marcovich, N. E., 2069
Aranguren, M. I. See Stefani, P. M., 1781
Arda, E. See Pekcan, Ö., 1257
Arica, M. Y. See Denizli, A., 657
Arvanitoyannis, I. See Maeda, Y., 2095
Atay, T. See Biçak, N., 103
Avella, M.
—; Casale, L.; Dell'erba, R.; Focher, B.; Martuscelli, E.; Marzetti, A.: Broom Fibers as Reinforcing Materials for Polypropylene-Based Composites, 1077

Baer, E. See Ebeling, T., 793
Bakoš, D. See Macho, V., 649
Banerjee, T.
—; Lipscomb, G. G.: Direct Measurement of the Carbon-Dioxide-Induced Glass Transition Depression in a Family of Substituted Polycarbonates, 1441
Bang, Y. H.
—; Lee, S.; Cho, H. H.: The Effect of Methyl Acrylate Composition on the Microstructure Changes of High Molecular Polyacrylonitrile for Heat Treatment, 2205
Bao, C. See Zhao, Y., 1411
Basha, A. F. See Shehap, A., 687
Basutkar, P. H.
—; Joshi, M. D.; Lonikar, S. V.; Maldar, N. N.; Idage, B. B.: Synthesis and Characterization of Phenylated Aromatic Poly (amide–amide)s, 1523
Baumvol, I. J. R. See Haag, M. C., 535
Bayazeed, A. See Hebeish, A., 1709
Baysal, B. M. See Eroğlu, M. S., 1149
Beauvais, R. See Alexandratos, S. D., 1911
Beliakova, M. K. See Hebeish, A., 1709
Beltrame, P.-L. See Canetti, M., 1877
Benavides, R.
—; Edge, M.; Allen, N. S.; Téllez, M. M.: Stabilization of Poly(vinyl chloride) with Preheated Metal Stearates and Costabilizers. I. Use of a β-Diketone, 1
—; Edge, M.; Allen, N. S.; Téllez, M. M.: Stabilization of Poly(vinyl chloride) with Preheated Metal Stearates and Costabilizers. II. Use of a Polyol, 11
Bencivenga, U. See Mohy Eldin, M. S., 613, 625
Benhaddou, R. See Chauvelon, G., 331
Benli, S.
—; Yilmazer, Ü.; Pekel, F.; Özkar, S.: Effect of Fillers on Thermal and Mechanical Properties of Polyurethane Elastomer, 1057
Benseddik, E.
—; Bonnet, A.; LeFrant, S.: Transport Properties in Polypyrrole Powders and in PPy–PVA Composites: Evidence for Bipolaronic Clusters, 709
Bergamasco, L. See Canetti, M., 1877
Bertini, S. See Crini, G., 1973
Biçak, N.
—; Atay, T.; Koza, G.: Removal of Transition Metal Cations and Their Counteranions by Crosslinked Epoxy–Amine Polymer, 103
—; Şenkal, B. F.: Sorbitol-Modified Poly(*N*-glycidyl styrene sulfonamide) for Removal of Boron, 2113
Blumstein, A. See Jegal, J., 387
Bohdanecký, M. See Dostál, J., 1917
Bonnet, A. See Benseddik, E., 709

Bouillot, P.
—; Petit, A.; Dellacherie, E.: Protein Encapsulation in Biodegradable Amphiphilic Microspheres. I. Polymer Synthesis and Characterization and Microsphere Elaboration, 1615
Braun, D.
—; Richter, S.; Hellman, G. P.; Rätzsch, M.: Peroxy-Initiated Chain Degradation, Crosslinking, and Grafting in PP–PE Blends, 2019
Brennan, A. B. See Miller, T. M., 947
Bretas, R. E. S. See de Carvalho, B., 1159
Brunswick, A.
—; Cavanaugh, T. J.; Mathur, D.; Russo, A. P.; Nauman, E. B.: Experimental Confirmation of Computer-Aided Polymer Blend Designs (Note), 339
Buléon, A. See Chauvelon, G., 331
Burkett, S. L. See Sharma, R., 553

Cai, Y.
—; Jiang, Z.; Yang, D.; Liu, P.: Structure and Thermal Properties of PU/P(BMI–UBMI)IPNs, 1689
Cakmak, M. See Wang, Y. D., 909
Camino, G. See Costa, L., 1067
Canciglia, P. See Mohy Eldin, M. S., 613, 625
Canetti, M.
—; Seves, A.; Bergamasco, L.; Munaretto, G.; Beltrame, P.-L.: Morphology and Supermolecular Structure of Polypropylene–Poly(1-butene)–Hydrogenated Oligo(Cyclopentadiene) Ternary Blends, 1877
Casale, L. See Avella, M., 1077
Castagnolo, D. See Mohy Eldin, M. S., 613
Cavanaugh, T. J. See Brunswick, A., 339
Chakraborty, B. C. See Samui, A. B., 255
Chang, L. See Gao, J., 1965
Chan, H. S. O. See Goh, S. H., 1839
Chan, W. H. See Lam-Leung, S. Y., 2087
Charayev, A. M. See Ozden, S., 1013
Chatterjee, P. See Nair, N. R., 53
Chatterji, P. R. See Varkey, J. T., 1473
Chauhan, R. S. See Murty, L. V. R., 2057
Chauvelon, G.
—; Renard, C. M. G. C.; Saulnier, L.; Buléon, A.; Thibault, J.-F.; Benhaddou, R.; Granet, R.; Krausz, P.: Preliminary Study of Formation of Films from Cellulose-Enriched Agricultural By-Products, 331
Chen, G. See Shi, Y., 959
Cheng, Q. See Fang, Y.-E., 83, 1751
Cheng, S. See Huang, H., 2029
Cheng, S. See Yan, C., 969
Chen, L. See Shogren, R. L., 2129
Chen, Q. See Fang, Y.-E., 1745
Chen, S.-C.
—; Hu, S.-Y.; Chien, R. D.; Huang, J.-S.: Integrated Simulations of Structural Performance, Molding Process, and Warpage for Gas-Assisted Injection-Molded Parts. I. Analysis of Part Structural Performance, 417
Chen, T. See Zuo, J., 363
Chen, X. See Wang, G., 1219
Chen, Y.
—; Hu, Z.; Lang, J. C.: Turbidity Investigation of the Sol–Gel Transition in Carrageenan Gels Under Physiologic Conditions, 29
Chen, Z. See Lu, J., 1563
Chern, Y. C. See Han, J. L., 121
Chern, Y.-T.
—; Lin, K.-S.; Kao, S. C.: Synthesis and Characterization of New Polyamides Derived From 1,3-Bis[4-(4-aminophenoxy)-phenyl]adamantane, 315
Chiang, W.-Y.
—; Hu, C.-H.: Polymer Blends with Modified Coupling Agent. I. Preparation and Thermal Properties of LICA 44 Grafted Styrene–Maleic Anhydride Copolymer, 37
Chian, K. S.
—; Gan, L. H.: Development of a Rigid Polyurethane Foam from Palm Oil, 509
Chien, R. D. See Chen, S.-C., 417
Chiu, H.-T.
—; Chiu, W.-M.: Study of Grafting Propylene–Ethylene Block Copolymer, 977
—; Wang, J.-H.: Dynamic Mechanical Properties of the Chemical Oxidation on UHMWPE Fibers for Improved Adhesion to Epoxy Resin Matrix, 1387
Chiu, W.-M. See Chiu, H.-T., 977
Chiu, W. Y. See Han, J. L., 121
Cho, G. See Choi, S.-S., 1811
Cho, H. H. See Bang, Y. H., 2205
Choi, S.-S.
Influence of Silica Content on Migration of Antidegradants to the Surface in NR Vulcanizates, 1821
Choi, S.-S.
—; Cho, G.: Resole-Cured NR Vulcanizates with Thermally Reacted *p-t*-Octylphenol Formaldehyde Resole, 1811
Cho, K.
—; Seo, K. H.; Ahn, T. O.: Effects of Reactive Reinforced Interface on the Morphology and Tensile Properties of Amorphous Polyamide–SAN Blends, 1925
Choudhary, V. See Mishra, A., 527
Chung, T. S.
—; Loh, K.-C.; Goh, S. K.: Development of Cellulose Acetate Membranes for Bacteria Immobilization to Remove Phenol, 1677
Collar, E. P. See García-Martínez, J. M^a., 483
Concepcion Gonzalez, M. See Gonzalez de Los Santos, E. A., 45
Cong, G. See Liao, B., 1671
Coşkun, R. See Yiğitoğlu, M., 1935
Costa, L.
—; Rossi di Montelera, L.; Camino, G.; Weil, E. D.;

Pearce, E. M.: Flame-Retardant Properties of Phenol–Formaldehyde-Type Resins and Triphenyl Phosphate in Styrene–Acrylonitrile Copolymers, 1067
Crini, G.
—; Bertini, S.; Torri, G.; Naggi, A.; Sforzini, D.; Vecchi, C.; Janus, L.; Lekchiri, Y.; Morcellet, M.: Sorption of Aromatic Compounds in Water Using Insoluble Cyclodextrin Polymers, 1973
Czajlik, I. See Vabrik, R., 111

Daly, W. H. See Manuszak Guerrini, M., 1091
Darwis, D.
—; Mitomo, H.; Enjoji, T.; Yoshii, F.; Makuuchi, K.: Heat Resistance of Radiation Crosslinked Poly(ε-caprolactone), 581
Das, C. K. See Patra, P. K., 597
Das, D. See Ghosh, P., 63
De Abajo, J. See Etxeberria, A., 2141
De Araújo, M. A. See Haag, M. C., 535
Deb, P. C. See Samui, A. B., 255
de Carvalho, B.
—; Bretas, R. E. S.: Quiescent Crystallization Kinetics and Morphology of Isotactic Polypropylene Resins for Injection Molding. I. Isothermal Crystallization, 1159
Deepa, S. See Siddaramaiah, 2063
De La Campa, J. G. See Etxeberria, A., 2141
Dellacherie, E. See Bouillot, P., 1615
Dell'erba, R. See Avella, M., 1077
Delmotte, M. See Hedreul, C., 543
Denchev, Z.
—; Duchesne, A.; Stamm, M.; Fakirov, S.: Sequence Length Determination in Poly(ethylene terephthalate)–Bisphenol-A Polycarbonate Random Copolymers by Application of Selective Degradation, 429
Deng, M.
—; Uhrich, K. E.: Analysis of Thermal Properties of Polymeric Biomaterials. I. Ultrahigh-Molecular-Weight Polyethylene, 1353
Deng, Q.
—; Moore, R. B.; Mauritz, K. A.: Nafion®/(SiO_2, ORMOSIL, and Dimethylsiloxane) Hybrids *Via In Situ* Sol–Gel Reactions: Characterization of Fundamental Properties, 747
Deng, Y. See Fan, X.-D., 305
DeNicola, A. J., Jr. See Phan, T.-T. M., 1451
Denizli, A.
—; Kocakulak, M.; Pişkin, E.: Specific Sorbents for Bilirubin Removal from Human Plasma: Congo Red-Modified Poly(EGDMA/HEMA) Microbeads, 373
—; Salih, B.; Şenel, S.; Arica, M. Y.: New Metal Chelate Sorbent for Albumin Adsorption: Cibacron Blue F3GA-Zn(II) Attached Microporous Poly(HEMA) Membranes, 657
De Petris, S.
—; Laurienzo, P.; Malinconico, M.; Pracella, M.; Zendron, M.: A Study of Blends of Nylon 6 with EVOH and Carboxyl-Modified EVOH and a Preliminary Approach to Films for Packaging Applications, 637
De Rosa, M. E.
—; Tondiglia, V. P.; Natarajan, L. V.: Mechanical Deformation of a Liquid Crystal Diffraction Grating in an Elastic Polymer, 523
de Saja, J. A. See Rodríguez-Pérez, M. A., 1237
Deutz, H. See Wortmann, F.-J., 1991
Dev, D. See Ghosh, P., 1139
Dimov, A. See Godjevargova, T., 323
Dong, J. H. See Wang, H., 2121
Dos Santos, J. H. Z. See Haag, M. C., 535
Dostál, J.
—; Šimek, L.; Kašpárková, V.; Bohdanecký, M.: Specific Refractive Index Increments of Segmented Polyurethanes, 1917
Drioli, E. See Shi, Y., 959
Duchesne, A. See Denchev, Z., 429
Duijsens, A. See Rodríguez-Pérez, M. A., 1237
Duke, J. R. See Alexandratos, S. D., 1911
Dupont, J. See Haag, M. C., 535
Dupuy, J. See Hedreul, C., 543
Durand-Vidal, S. See Lehmani, A., 503
Du, Z. See Li, H., 999

Ebeling, T.
—; Hiltner, A.; Baer, E.: Delamination Failure Mechanisms in Microlayers of Polycarbonate and Poly(styrene-*co*-acrylonitrile), 793
Edge, M. See Benavides, R., 1, 11
Ekinci, E.
—; Öğünç, S. T.; Karagözler, A. E.: Electrochemical Poly(1,3-phenylenediamine) Synthesis as Enzyme Immobilization Media, 145
Ekinci, E. See Özden, M., 1941
El-Gendy, H. M. See Moharram, M. A., 2049
El Hady, B. M. A. See Moustafa, A. B., 1725
El-Sharkawy, F. M. See Fouda, I. M., 1955
El-Sharkawy, F. M. See Hamza, A. A., 1371
Endo, T. See Sanda, F., 497
Endo, Y. See Takeichi, T., 1613
Enjoji, T. See Darwis, D., 581
Eroğlu, M. S.
—; Hazer, B.; Baysal, B. M.: Synthesis and Thermal Characterization of Macromonomeric Azo Initiator Containing Poly(ε-caprolactone): Styrene and Methyl Methacrylate Copolymerization, 1149
Ersöz, M. See Yiğitoğlu, M., 1935
Etxeberria, A.
—; Guezala, S.; Iruin, J. J.; De La Campa, J. G.; De Abajo, J.: Blends of Poly(ether imide) and an Aromatic Poly(ether

amide): Phase Behavior and CO_2 Transport Properties, 2141

Faizalla, A. See Moustafa, A. B., 1725
Fakirov, S. See Denchev, Z., 429
Fanglian, Y. See Yakai, F., 855
Fang, Y.-E.
—; Cheng, Q.; Lu, X.-B.: Kinetics of *In Vitro* Drug Release from Chitosan/Gelatin Hybrid Membranes, 1751
—; Lu, X.-B.; Cheng, Q.: Influence of Degree of Grafting and Grafting Temperature on the Permeabilities of Grafted Polypropylene Membranes, 83
—; Ma, C.-X.; Chen, Q.; Lu, X.-B.: Radiation-Induced Graft Copolymerization of 2-Hydroxyethyl Methacrylate onto Chloroprene Rubber Membrane. II. Characterization of Grafting Copolymer, 1745
—; Zhao, X.: Preparation and Permeabgility of a Block Copolymer Dialysis Membrane by Poly(γ-methyl-L-glutamate) and Poly(ethylene glycol), 75
Fan, X.-D.
—; Deng, Y.; Waterhouse, J.; Pfromm, P.: Synthesis and Characterization of Polyamide Resins from Soy-Based Dimer Acids and Different Amides, 305
Farnia, S. M. F. See Mohammadi-Rovshandeh, J., 1949
Feng, H.-Y.
—; Jian, S.-H.; Wang, Y.-P.; Lei, Z.-Q.; Wang, R.-M.: Fluorescence Properties of Ternary Complexes of Polymer-Bond Triphenylphosphine, Triphenylarsine, Triphenylstibine, and Triphenylbismuthine, Rare Earth Metal Ions, and Thenoyltrifluoroacetone, 1605
Feng, L. See Yan, C., 969
Feng, R. See Zhao, Y., 1411
Feng, Y.
—; Jin, X.; Hay, J. N.: Crystalline Structure of Propylene–Ethylene Copolymer Fractions, 381
—; Jin, X.; Hay, J. N.: Dynamic Mechanical Behavior Analysis for Low Ethylene Content Polypropylene Copolymers, 395
Filimonova, L. V. See Volkov, I. O., 517
Focher, B. See Avella, M., 1077
Fouda, I. M.
—; Kabeel, M. A.; El-Sharkawy, F. M.: Optothermal Properties of Fibers. XIII. Evaluation of The Form Birefringence and Some Other Structural Parameters Due to Thermal Annealing for Polyester (PET) Fibers, 1955
Fouda, I. M. See Hamza, A. A., 1371
Fukuda, A. See Kimura, H., 1903
Fukuyama, K. See Seto, F., 1773
Funae, Y. See Matsuda, T., 1227

Gaeta, F. S. See Mohy Eldin, M. S., 613, 625
Galy, J. See Hedreul, C., 543
Gan, L. H. See Chian, K. S., 509
Gao, G.-H. See Xie, H.-Q., 937
Gao, J.
—; Li, Z.; Wang, W.; Huang, M.: Preparation of Gelatin–*N*-Vinylpyrrolidone Graft Copolymer, 1485
—; Yu, J.; Wang, W.; Chang, L.; Tian, R.: Graft Copolymerization of Starch–AN Initiated by Potassium Permanganate, 1965
García-Martínez, J. M[a].
—; Laguna, O.; Collar, E. P.: Chemical Modification of Polypropylenes by Maleic Anhydride: Influence of Stereospecificity and Process Conditions, 483
Garreau, H. See Li, S., 989
Ge, H. See Xie, D., 205
Ghosh, P.
—; Das, D.: Modification of Jute by Acrylic Acid in the Presence of Na_3PO_4 and $K_2S_2O_8$ as Catalysts Under Thermal Treatment, 63
—; Dev, D.; Samanta, A. K.: Effect of Graft Copolymerization of Mixtures of Acrylamide and Methyl Methacrylate on Mechanical Properties of Jute Fibers of Different Compositions, 1139
Godjevargova, T.
—; Dimov, A.; Ivanova, D.: Immobilization of Glucose Oxidase and Acetylcholinesterase onto Modified Polyamide Sorbent, 323
Goh, S. H.
—; Chan, H. S. O.; Ong, C. H.: Miscible Blends of Conductive Polyaniline with Tertiary Amide Polymers, 1839
Goh, S. K. See Chung, T. S., 1677
Golemme, G. See Shi, Y., 959
Gomathinayagam, S. See Sastry, T. P., 1109
Gomez, D. See Quesada, J., 1867
Gong, P.
—; Zhang, L.: Properties and Interfacial Bonding of Regenerated Cellulose Films Coated with Polyurethane–Chitosan IPN Coating, 1313
—; Zhang, L.; Zhuang, L.; Lu, J.: Synthesis and Characterization of Polyurethane–Chitosan Interpenetrating Polymer Networks, 1321
Gonzalez de Los Santos, E. A.
—; Lozano Gonzalez, M. J.; Concepcion Gonzalez, M.: Modification of Polypropylene with Maleic Anhydride: Ultrasonic Irradiation Effects, 45
Goods, S. H.
—; Neuschwanger, C. L.; Henderson, C. C.; Skala, D. M.: Mechanical Properties of CRETE: A Polyurethane Foam, 1045
Gorelova, M. M. See Volkov, I. O., 517
Göritz, D. See Huber, K., 1503
Granet, R. See Chauvelon, G., 331
Graves, R.
—; Pintauro, P. N.: Polyphosphazene

Membranes. II. Solid-State Photocrosslinking of Poly[(alkylphenoxy)-(phenoxy)phosphazene] Films, 827
Guezala, S. See Etxeberria, A., 2141
Guibal, E. See Milot, C., 571
Güner, A.
—; Sevil, A. U.; Güven, O.: Complexation of Poly(vinylpyrrolidone) and Gelatin with Some Transition Metal Chlorides in Aqueous Solution, 891
Guo, J. See Xie, H.-Q., 2169
Guo, J.-S. See Xie, H.-Q., 937
Guo, S. See Zhang, B., 1555
Gupta, N.
—; Varma, I. K.: Effect of Structure of Aromatic Diamines on Curing Characteristics, Thermal Stability, and Mechanical Properties of Epoxy Resins. I, 1759
—; Varma, I. K.: Effect of Structure of Epoxy Network on Interfacial Shear Strength in Glass Epoxy Composites. II, 1767
Guriya, K. C.
—; Tripathy, D. K.: Deformation and Energy-Absorption Characteristics of Microcellular EPDM Rubber, 263
Güven, O. See Güner, A., 891
Gu, Z. W. See Wang, H., 2121

Haag, M. C.
—; Dos Santos, J. H. Z.; Stedile, F. C.; De Araújo, M. A.; Dupont, J.; Baumvol, I. J. R.: Synthesis and Characterization of EPDM Films, 535
Hamza, A. A.
—; Fouda, I. M.; Kabeel, M. A.; Seisa, E. A.; El-Sharkawy, F. M.: Opto-Thermal Properties of Fibers. XI. The Effect of Thermal Annealing of Drawing Behavior for Egyptian Polyester Fibers on the Crystallinity and Some Optical Parameters, 1371
Han, J. L.
—; Chern, Y. C.; Hsieh, K. H.; Chiu, W. Y.; Ma, C. C. M.: Kinetics of Curing Reaction of Urethane Function on Base-Catalyzed Epoxy Reaction, 121
Han, S.
—; Kim, W. G.; Yoon, H. G.; Moon, T. J.: A Kinetic Study of the Effect of Catalysts on the Curing of Biphenyl Epoxy Resin, 1125
Hansen, M. G.
—; Vedula, S.: In-Line Fiber-Optic Near-Infrared Spectroscopy: Monitoring of Rheological Properties in an Extrusion Process. Part I, 859
Hansen, M. G. See Vedula, S., 873
Hao, J. H.
—; Wang, S.: Influence of Quench Medium on the Structure and Gas Permeation Properties of Cellulose Acetate Membranes, 1269
Harlapur, S. F. See Aminabhavi, T. M., 815
Hasegawa, K. See Kimura, H., 1903
Hashimoto, T. See Omi, S., 897
Hassan, A. M. See Saad, A. L. G., 699
Hay, A. S. See Meng, Y. Z., 137
Hayashi, K. See Maeda, Y., 2095
Hay, J. N. See Feng, Y., 381, 395
Hazer, B. See Eroğlu, M. S., 1149
He, B. See Zuo, J., 363
Hebeish, A.
—; Beliakova, M. K.; Bayazeed, A.: Improved Synthesis of Poly(MAA)–Starch Graft Copolymers, 1709
Hebeish, A. See Waly, A., 2151
Hedreul, C.
—; Galy, J.; Dupuy, J.; Delmotte, M.; More, C.: Kinetics Modeling of a Modified Epoxy-Amine Formulation Cured by Thermal and Microwave Energy, 543
Hellman, G. P. See Braun, D., 2019
Hemmige, V. See Siddaramaiah, 2063
Henderson, C. See Sharma, R., 553
Henderson, C. C. See Goods, S. H., 1045
He, P. See Xie, H.-Q., 2169
Hietalahti, K.
—; Skrifvars, M.; Root, A.; Sundholm, F.: Correlation of Viscoelastic Properties with Low-Resolution ^{1}H-NMR Measurements of Crosslinking Unsaturated Polyesters, 671
Hiltner, A. See Ebeling, T., 793
Hino, T.
—; Prausnitz, J. M.: Lattice Thermodynamics for Aqueous Salt–Polymer Two-Phase Systems, 2007
Hishiyama, Y. See Takeichi, T., 1613
Horiuchi, T. See Inagaki, N., 271
Hoshino, F. See Sanda, F., 497
Hsieh, K. H. See Han, J. L., 121
Huang, H.
—; Zhang, H.; Li, J.; Cheng, S.; Hu, F.; Tan, B.: Miniemulsion Copolymerization of Styrene and Butyl Acrylate Initiated by Redox System at Lower-Temperature Preparation and Polymerization of Miniemulsion, 2029
Huang, J.-S. See Chen, S.-C., 417
Huang, M. See Gao, J., 1485
Huang, M.-R.
—; Li, X.-G.: Thermal Degradation of Cellulose and Cellulose Esters, 293
Huang, S. K. See Lo, T.-Y., 1621
Huang, Y. See Liao, B., 1671
Huber, K.
—; Nowack, J.; Göritz, D.: Pervaporation of Alcohols in PBT Near the Glass Temperature: An Analysis of the Concentration-Dependent Diffusion, 1503
Hu, C.-H. See Chiang, W.-Y., 37
Hu, F. See Huang, H., 2029
Hu, S.-Y. See Chen, S.-C., 417
Hu, Z. See Chen, Y., 29
Hwang, H.-J.
—; Wang, C.-S.: Thermal Behavior and Properties of Naphthalene Containing

Bismaleimide–Triazine Resins, 1199

Iannace, S. See Alfani, R., 739
Idage, B. B. See Basutkar, P. H., 1523
Ille, A. See Vabrik, R., 111
Inagaki, M. See Takeichi, T., 1613
Inagaki, N.
—; Tasaka, S.; Horiuchi, T.; Suyama, R.: Surface Modification of Poly(aryl ether ether ketone) Film by Remote Oxygen Plasma, 271
Inoue, T. See Kim, B. S., 1829
Iruin, J. J. See Etxeberria, A., 2141
Ishikawa, M. See Manabe, N., 1801
Ismail, E. A.
Preparation of Water-Soluble Polyurethane Surfactants, 1531
Ismail, H. See Mohd Ishak, Z. A., 2189
Ivanova, D. See Godjevargova, T., 323

Jacobsen, R. See Simonsen, J., 1567
Jang, I. See Jang, J., 1343
Jang, J.
—; Jang, I.; Kim, H.: Adhesion Promotion of the Polyimide–Copper Interface Using Silane-Modified Polyvinylimidazoles, 1343
Jang, J. See Kim, H., 775, 785
Jang, J. See Moon, S. I., 1117
Jang, L. W. See Lee, D. C., 1997
Janus, L. See Crini, G., 1973
Jegal, J.
—; Blumstein, A.: Functional Polyesters and Copolyesters Based on the 4,4′-Dihydroxy-α-methylstilbene, 387
Jeong, R. A. See Lee, G. J., 605
Jiang, Z. See Cai, Y., 1689
Jian, S.-H. See Feng, H.-Y., 1605
Jian, X. G. See Meng, Y. Z., 137
Jingwu, S. See Yakai, F., 855
Jin, X. See Feng, Y., 381, 395
Ji, S. See Lu, J., 1563
Jo, B. W. See Nah, C., 1537
John, N.
—; Joseph, R.: Rubber Solution Adhesives for Wood-to-Wood Bonding, 1185
Jorgensen, B. S. See Alexandratos, S. D., 1911
Joseph, R. See John, N., 1185
Joshi, M. D. See Basutkar, P. H., 1523
Joy, V. A. See Siddaramaiah, 2063
Jurkowska, B.
—; Olkhov, Y. A.; Jurkowski, B. Thermomechanical Study of Butyl Rubber Mastication During Compounding, 2159
Jurkowski, B. See Jurkowska, B., 2159

Kaang, S. See Nah, C., 1537
Kabeel, M. A. See Fouda, I. M., 1955
Kabeel, M. A. See Hamza, A. A., 1371
Kaburagi, Y. See Takeichi, T., 1613
Kalfoglou, N. K.
—; Samios, C. K.; Papadopoulou, C. P.: Compatibilization of Poly(ethylene-*co*-vinyl alcohol) (EVOH) and EVOH–HDPE blends: Structure and Properties, 589
Kanapitsas, A. See Karabanova, L., 161
Kang, C.-K.
Modeling of Solid State Polymerization of Poly(ethylene Terephthalate), 837
Kano, Y.
—; Akiyama, S.; Miyagi, Z.: Analysis of Holding Power in the Blends of Poly(butyl acrylate) with Poly(vinylidene fluoride-*co*-hexafluoro acetone), 727
Kao, S. C. See Chern, Y.-T., 315
Karababa, E. See Akovali, G., 765
Karabanova, L.
—; Pissis, P.; Kanapitsas, A.; Lutsyk, E.: Thermodynamic State, Temperature Transitions, and Broadband Dielectric Relaxation Behavior in Gradient Interpenetrating Polymer Networks, 161
Karagözler, A. E. See Ekinci, E., 145
Karagözler, A. E. See Özden, M., 1941
Karak, N.
—; Maiti, S.: Antimony Polymers. III. Flame Retardant Behavior of Chloroprene and Natural Rubber Vulcanizates with Antimony Polymer, 927
Karger-Kocsis, J. See Mouzakis, D. E., 561
Kašpárková, V. See Dostál, J., 1917
Kawamura, K. See Manabe, N., 1801
Kawasaki, N. See Maeda, Y., 2095
Keidar, I. See Ravey, M., 217, 231
Kesenci, K. See Pekcan, Ö., 1257
Kiatkamjornwong, S.
—; Suwanmala, P.: Partially Hydrolyzed Polyacrylamide–Poly(*N*-vinylpyrrolidone) Copolymers as Superabsorbents Synthesized by Gamma Irradiation, 191
Kiat, T. H. See Shonaike, G. O., 1285
Kiekens, P. See Moharir, A. V., 2107
Kiick-Fischer, K. L.
—; Tirrell, D. A.: Controlling Absorbency in Gelatin Networks: Preparation and Characterization of Alkylated, Crosslinked Gelatin, 281
Kim, B. S.
—; Nakamura, G.-I.; Inoue, T.: Structure Development in the Phenolic Resin/Poly(methyl methacrylate-*co*-ethyl acrylate) Copolymer Blends, 1829
Kim, H.
—; Jang, J.: Infrared Spectroscopic Study of SiO_x Film Formation and Decomposition of Vinyl Silane Derivative by Heat Treatment. II. On Copper Surface, 775
—; Jang, J.: Infrared Spectroscopic Study of SiO_x Film Formation and Decomposition of Vinyl Silane Derivative by Heat Treatment. I. On KBr and Gold Surface, 785
Kim, H. See Jang, J., 1343

Kim, H. S. See Lee, G. J., 605
Kim, K. H. See Lee, G. J., 605
Kim, S. C. See Lee, S. Y., 1245
Kim, S.-W. See Rhim, J.-W., 1717
Kim, S. Y. See Oh, T. H., 1209
Kimura, H.
—; Matsumoto, A.; Hasegawa, K.; Ohtsuka, K.; Fukuda, A.: Epoxy Resin Cured By Bisphenol-A-Based Benzoxazine, 1903
Kimura, T. See Matsumoto, A., 1703
Kim, W. G. See Han, S., 1125
Kishida, A. See Seto, F., 1773
Klier, J. See Smith, B. L., 1019
Kocakulak, M. See Denizli, A., 373
Kohmoto, S. See Okubo, T., 1791
Koide, N. See Mihara, T., 1979
Kojima, Y.
—; Matsuoka, T.; Takahashi, H.: High-Pressure Synthesis and Optical Limiting Property of Cyclic Diphenylacetylene Oligomer, 129
Komora, L. See Macho, V., 649
Koza, G. See Biçak, N., 103
Králik, M. See Macho, V., 649
Krausz, P. See Chauvelon, G., 331
Księżopolski, J. See Matynia, T., 1423

Lafranche, E.
—; Pabiot, J.: The Temperature-Dependent Influence of Molecular Orientation and Internal Stresses on the Deformation of Injection-Molded Polypropylene Parts, 1661
Laguna, O. See García-Martínez, J. M[a]., 483
Lai, J.-Y. See Lee, K.-R., 1191
Lam-Leung, S. Y.
—; Chan, W. H.; Liu, Z. X.: Evaluation of the Possibility of Utilization of Poly(amide-sulfonamide)s (PASAs) in Ultrafiltration Technology, 2087
Lang, J. C. See Chen, Y., 29
Laurienzo, P. See De Petris, S., 637
Lawther, J. M. See Sun, R., 1633
Lawton, J. W. See Shogren, R. L., 2129
Lee, D. C.
—; Jang, L. W.: Characterization of Epoxy–Clay Hybrid Composite Prepared by Emulsion Polymerization, 1997
Lee, D. H. See Lee, G. J., 605
Lee, G. J.
—; Jeong, R. A.; Lee, S. H.; Kim, H. S.; Lee, D. H.; Kim, K. H.: Physicochemical Properties of Electrochemically Prepared Poly(pyrrole hexafluorophosphate), 605
Lee, K.-R.
—; Wang, Y. A.; Wang, D.-M.; Lai, J.-Y.: Pervaporation of Aqueous Alcohol Solution through a Polycarbonate/(DMF/Metal Salt) Complex Membrane Prepared via a Wet-Phase Inversion Method, 1191
Lee, M. S. See Oh, T. H., 1209
Leena, B. See Siddaramaiah, 2063
Lee, S. See Bang, Y. H., 2205
Lee, S. H. See Lee, G. J., 605
Lee, S. Y.
—; Kim, S. C.: Effect of Compatibilizer on the Crystallization, Rheological, and Tensile Properties of LDPE/EVOH Blends, 1245
Lee, W.-F.
—; Yeh, P.-L.: Thermoreversible Hydrogels. IV. Effect of Some Factors on the Swelling Behavior of *N*-Tetrahydrofurfuryl Acrylamide, 1597
LeFrant, S. See Benseddik, E., 709
Lehmani, A.
—; Durand-Vidal, S.; Turq, P.: Surface Morphology of Nafion 117 Membrane by Tapping Mode Atomic Force Microscope, 503
Lehto, J.
—; Vaaramaa, K.; Vesterinen, E.; Tenhu, H.: Uptake of Zinc, Nickel, and Chromium by *N*-Isopropyl Acrylamide Polymer Gels, 355
Lei, Z.-Q. See Feng, H.-Y., 1605
Lekchiri, Y. See Crini, G., 1973
Liang, D. See Zuo, J., 363
Liang, Y. See Li, C., 1027
Liao, B.
—; Huang, Y.; Cong, G.; Zhao, S.: Polystyrene Ionomer Aqueous Dispersion. I. Process and Mechanism of the Phase Inversion of Emulsification, 1671
Li, C.
—; Shi, G.; Liang, Y.; Ye, W.: High-Strength Metallic Plastic Sheet Prepared by Electrochemical Polymerization of Thiophene on Stainless Steel, 1027
Li, H.
—; Du, Z.; Ruckenstein, E.: Room Temperature-Initiated and Self-Heating Copolymerization of Acrylonitrile with Vinyl Acetate, 999
Li, J. See Huang, H., 2029
Li, M. See Wang, G., 1219
Lindberg, H. See Oksman, K., 1845
Lin, J.-M. See Xie, H.-Q., 937
Lin, K.-S. See Chern, Y.-T., 315
Lin, M.-F. See Wang, H.-H., 1031
Lipscomb, G. G. See Banerjee, T., 1441
Li, S.
—; Garreau, H.; Vert, M.; Petrova, T.; Manolova, N.; Rashkov, I.: Hydrolytic Degradation of Poly(oxyethylene)–Poly-(ε-caprolactone) Multiblock Copolymers, 989
Liu, P. See Cai, Y., 1689
Liu, W. See Yu, L., 1643
Liu, W.-M. See Zhang, Z.-Z., 2175
Liu, Z. X. See Lam-Leung, S. Y., 2087
Li, X.-G. See Huang, M.-R., 293
Li, Z. See Gao, J., 1485
Loh, K.-C. See Chung, T. S., 1677
Lomakin, S. M. See Zaikov, G. E., 715
Lonikar, S. V. See Basutkar, P. H., 1523
Lo, T.-Y.
—; Huang, S. K.: Formation of 4,4′-Thiodiphenol-Modified Epoxy Resins Monitored by

GPC and MALDI-TOF Mass Spectrometer, 1621
Lozano Gonzalez, M. J. See Gonzalez de Los Santos, E. A., 45
Lu, J.
—; Zhu, X.; Ji, S.; Zhu, J.; Chen, Z.: Microwave Radiation Copolymerization in Solid State of Maleic Anhydride and Allylthiourea, 1563
Lu, J. See Gong, P., 1321
Lutsyk, E. See Karabanova, L., 161
Lu, X.-B. See Fang, Y.-E., 83, 1745, 1751

Ma, C. C. M. See Han, J. L., 121
Macho, V.
—; Králik, M.; Micka, M.; Komora, L.; Bakoš, D.: The Simultaneous Statistical Suspension Copolymerization of Vinyl Chloride with Butyl Acrylate and Grafting on Poly(butyl acrylate), 649
Ma, C.-X. See Fang, Y.-E., 1745
Maeda, Y.
—; Sakai, K.; Nakayama, A.; Arvanitoyannis, I.; Kawasaki, N.; Hayashi, K.; Aiba, S.; Yamamoto, N.: Synthesis and Biodegradation of Copolyesterether of Copoly(Succinic Anhydride/Ethylene Oxide) with Polyether, 2095
Ma, G.-H. See Omi, S., 897
Maiti, S. See Karak, N., 927
Makuuchi, K. See Darwis, D., 581
Maldar, N. N. See Basutkar, P. H., 1523
Malinconico, M. See De Petris, S., 637
Mallu, P. See Siddaramaiah, 1739
Manabe, N.
—; Kawamura, K.; Toyoda, T.; Minami, H.; Ishikawa, M.; Mori, S.: Sample Pretreatment for Aggregate-Free PVC Molecular Weight Measurement by Size-Exclusion Chromatography, 1801
Manolova, N. See Li, S., 989
Mansur, C. R. E.
—; Monteiro, E. E. C.: Characterization of Methacrylic Polymers by Calorimetry and Infrared Analyses, 345
Manuszak Guerrini, M.
—; Negulescu, I. I.; Daly, W. H.: Interactions of Aminoalkylcarbamoyl Cellulosics and Sodium Dodecyl Sulfate. I. Surface Tension, 1091
Marcovich, N. E.
—; Reboredo, M. M.; Aranguren, M. I.: Dependence of the Mechanical Properties of Woodflour–Polymer Composites on the Moisture Content, 2069
Martin, A. R. See Simal, A. L., 441, 453
Martuscelli, E. See Avella, M., 1077
Marzetti, A. See Avella, M., 1077
Mason, T. J. See Zhao, Y., 1411
Mathakiya, I.
—; Rakshit, A. K.: Synthesis and Characterization Studies of Homopolymers of *N*-Vinylpyrrolidone, Vinyl Acetate, and Their Copolymers, 91
Mathew, N. M. See Nair, N. R., 53
Mathias, L. J.
—; Tregre, G. J.: Synthesis, Characterization, and Cure of Allyl and Propargyl Functionalized Indene as a Thermoset Composite Matrix Resin, 475
Mathur, D. See Brunswick, A., 339
Mathur, G. N. See Patra, P. K., 597
Matsuda, T.
—; Funae, Y.; Yoshida, M.; Yamamoto, T.; Takaya, T.: Ophthalmic Lens Material Prepared by Unsaturated Nitrile–Polyfunctional Methacrylate–Styrenic Monomer Copolymerization, 1227
Matsumoto, A.
—; Kimura, T.: Synthesis of Heat- and Solvent-Resistant Polymers by Radical Polymerization of Trifluoromethyl-Substituted *N*-Phenylmaleimides, 1703
Matsumoto, A. See Kimura, H., 1903
Matsuoka, T.
—; Yamamoto, S.: Computer Simulation of Phase Structure and Mechanical Properties of Polymer Mixtures, 807
Matsuoka, T. See Kojima, Y., 129
Matynia, T.
—; Księżopolski, J.; Pawłowska, E.: Synthesis of Unsaturated Epoxyfumarate Resins, 1423
Mauritz, K. A. See Deng, Q., 747
McBrien, J. See Milot, C., 571
Mendichi, R.
—; Schieroni, A. G.: Evaluation of a Single-Capillary Viscometer Detector On Line to a SEC System Used with a New Pulse-Free Pump, 1651
Meng, Y. Z.
—; Hay, A. S.; Jian, X. G.; Tjong, S. C.: Synthesis and Properties of Poly(aryl ether sulfone)s Containing the Phthalazinone Moiety, 137
Menon, A. R. R.
—; Pillai, C. K. S.; Nando, G. B.: Physicomechanical Properties of Filled Natural Rubber Vulcanizates Modified with Phosphorylated Cashew Nut Shell Liquid, 1303
Micka, M. See Macho, V., 649
Mihara, T.
—; Nishimiya, Y.; Koide, N.: Synthesis and Thermal Properties of Combined Liquid Crystalline Epoxy Resins, 1979
Miller, T. M.
—; Zhao, L.; Brennan, A. B.: Rubber-Elasticity of Hybrid Organic–Inorganic Composites Evaluated Using Dynamic Mechanical Spectroscopy and Equilibrium Swelling, 947
Milot, C.
—; McBrien, J.; Allen, S.; Guibal, E.: Influence of Physico-Chemical and Structural Characteristics of Chitosan

Flakes on Molybdate Sorption, 571
Minami, H. See Manabe, N., 1801
Mishra, A.
—; Sinha, T. J. M.; Choudhary, V.: Methyl Methacrylate–*N*-Chlorophenyl Maleimide Copolymers: Effect of Structure on Properties, 527
Mishra, S.
—; Naik, J. B.: Absorption of Steam and Water at Ambient Temperature in Wood Polymer Composites Prepared from Agro-Waste and Novolac, 1417
—; Naik, J. B.: Absorption of Water at Ambient Temperature and Steam in Wood–Polymer Composites Prepared from Agrowaste and Polystyrene, 681
Mita, D. G. See Mohy Eldin, M. S., 613, 625
Mitomo, H. See Darwis, D., 581
Miyagi, Z. See Kano, Y., 727
Mizuno, A. See Abiru, T., 1493
Mizutani, Y. See Nagō, S., 1543
Modi, B. J. See Patel, M. P., 2041
Mohammadi-Rovshandeh, J.
—; Farnia, S. M. F.; Sarbolouki, M. N.: Synthesis and Thermal Behavior of Triblock Copolymers from L-Lactide and Ethylene Glycol with Long Center PEG Block, 1949
Moharir, A. V.
—; Kiekens, P.: Cellulose Crystallite Sizes in Diploid and Tetraploid Native Cotton, 2107
Moharram, M. A.
—; Soliman, M. A.; El-Gendy, H. M.: Electrical Conductivity of Poly(acrylic acid)–Polyacrylamide Complexes, 2049
Mohd Ishak, Z. A.
—; Aminullah, A.; Ismail, H.; Rozman, H. D.: The Effect of Silane-Based Coupling Agents and Acrylic-Acid-Based Compatibilizers on Mechanical Properties of Oil Palm Empty Fruit Bunch-Filled High-Density Polyethylene Composites, 2189
Mohy Eldin, M. S.
—; Bencivenga, U.; Portaccio, M.; Stellato, S.; Rossi, S.; Santucci, M.; Canciglia, P.; Castagnolo, D.; Gaeta, F. S.; Mita, D. G.: Characterization of the Activity of β-Galactosidase Immobilized on Teflon Membranes Preactivated with Different Monomers by γ-Irradiation, 613
—; Bencivenga, U.; Portaccio, M.; Stellato, S.; Rossi, S.; Santucci, M.; Canciglia, P.; Gaeta, F. S.; Mita, D. G.: β-Galactosidase Immobilization on Premodified Teflon Membranes Using γ-Radiation Grafting, 625
Monteiro, E. E. C. See Mansur, C. R. E., 345
Moon, S. I.
—; Jang, J.: Surface Characterization Method of Oxygen Plasma-Treated UHMPE Fiber Using DRIFT Spectroscopy, 1117
Moon, T. J. See Han, S., 1125
Moore, R. B. See Deng, Q., 747
Morcellet, M. See Crini, G., 1973
More, C. See Hedreul, C., 543
Mori, S. See Manabe, N., 1801
Moschiar, S. M. See Stefani, P. M., 1781
Moustafa, A. B.
—; Faizalla, A.; El Hady, B. M. A.: Iron (II) Chloride Catalyzed Emulsion Polymerization of Methyl Methacrylate Using Different Initiators, 1725
Mouzakis, D. E.
—; Karger-Kocsis, J.: Effects of Gasoline Absorption on the Tensile Impact Response of HDPE/Selar™ Laminar Microlayer Composites, 561
Mukai, H. See Ogawa, T., 1431
Mukai, H. See Osawa, S., 1297
Mülhaupt, R. See Stricker, F., 1891
Munaretto, G. See Canetti, M., 1877
Muraoka, Y. See Seto, F., 1773
Murty, L. V. R.
—; Chauhan, R. S.: Diffusion Behavior of Sulfur Mustard and Its Oxygen Analog in Poly(ethylene terephthalate) Films (Note), 2057

Nagai, M. See Omi, S., 897
Naggi, A. See Crini, G., 1973
Nagō, S.
—; Mizutani, Y.: Microporous Polypropylene Sheets Containing $CaCO_3$ Filler: Effects of Stretching Ratio and Removing $CaCO_3$ Filler, 1543
Nah, C.
—; Jo, B. W.; Kaang, S.: Cut and Chip Resistance of NR–BR Blend Compounds (Note), 1537
Naik, J. B. See Mishra, S., 681, 1417
Nair, N. R.
—; Mathew, N. M.; Thomas, S.; Chatterjee, P.; Siddiqui, M. A.: Physical and Rheological Characteristics of Liquid Natural Rubber Modified Bitumen, 53
Nakamura, G.-I. See Kim, B. S., 1829
Nakayama, A. See Maeda, Y., 2095
Nando, G. B. See Menon, A. R. R., 1303
Natarajan, L. V. See De Rosa, M. E., 523
Nauman, E. B. See Brunswick, A., 339
Negulescu, I. I. See Manuszak Guerrini, M., 1091
Neuschwanger, C. L. See Goods, S. H., 1045
Nicolais, L. See Alfani, R., 739
Nishimiya, Y. See Mihara, T., 1979
Niu, A. See Zuo, J., 363
Nowack, J. See Huber, K., 1503

Ogawa, T.
—; Mukai, H.; Osawa, S.: Mechanical Properties of Ultrahigh-Molecular-Weight Polyethylene Fiber-Reinforced PE Composites, 1431

Ogawa, T. See Osawa, S., 1297
Öğünç, S. T. See Ekinci, E., 145
Oh, T. H.
—; Lee, M. S.; Kim, S. Y.; Shim, H. J.: Studies on Melt-Spinning Process of Hollow Fibers, 1209
Ohtsuka, K. See Kimura, H., 1903
Okaniwa, M.
Synthesis of Poly(tetrafluoroethylene)/Poly(butadiene) Core-Shell Particles and Their Graft Copolymerization, 185
Oksman, K.
—; Lindberg, H.: Influence of Thermoplastic Elastomers on Adhesion in Polyethylene–Wood Flour Composites, 1845
Okubo, T.
—; Kohmoto, S.; Yamamoto, M.: Synthesis, Characterization, and Optical Properties of Polymers Comprising 1,4-Dithiane-2,5-Bis (thiomethyl) Group, 1791
Oliveira, C. M. F. See Volkov, I. O., 517
Olkhov, Y. A. See Jurkowska, B., 2159
Omi, S.
—; Saito, M.; Hashimoto, T.; Nagai, M.; Ma, G.-H.: Preparation of Monodisperse Polystyrene Spheres Incorporating Polyimide Prepolymer by Dispersion Polymerization in the Presence of L-Ascorbic Acid, 897
Ong, C. H. See Goh, S. H., 1839
Osawa, S.
—; Mukai, H.; Ogawa, T.; Porter, R. S.: The Application of Multiple Regression Analysis to the Property–Structure–Processing Relationship on Forging of Isotactic Polypropylene, 1297
Osawa, S. See Ogawa, T., 1431
Ou, C.-F.
Interchange Reactions Between Poly(ethylene terephthalate) and Its Copolyesters, 1591
Özden, M.
—; Ekinci, E.; Karagözler, A. E.: Electrochemical Synthesis and Optimization of Poly(4-methoxyphenol) Film as a Sensor Material, 1941
Ozden, S.
—; Charayev, A. M.; Shaov, A. H.; Shustov, G. B.: Synthesis and Assessment of the Properties of Polyetherketones (PEK) Based on Olygoketonephenolphthaleines (OKPP)–Polyester Block Copolymers, 1013
Özkar, S. See Benli, S., 1057

Pabiot, J. See Lafranche, E., 1661
Pandey, K. N. See Patra, P. K., 597
Papadopoulou, C. P. See Kalfoglou, N. K., 589
Patel, M. P.
—; Modi, B. J.; Patel, R. G.; Patel, V. S.: Studies of Novel Water Soluble Colored Polyesters Containing Azo Moiety, 2041
Patel, R. G. See Patel, M. P., 2041
Patel, V. S. See Patel, M. P., 2041
Patra, P. K.
—; Das, C. K.; Pandey, K. N.; Mathur, G. N.: Effect of Cure Systems on Shrinkability of Polyolefin-EPDM Blends, 597
Patri, M. See Samui, A. B., 255
Paul, D. R. See Ruiz-Treviño, F. A., 403
Pawlowska, E. See Matynia, T., 1423
Pearce, E. M. See Costa, L., 1067
Pearce, E. M. See Ravey, M., 217, 231
Pekcan, Ö.
—; Arda, E.; Kesenci, K.; Pişkin, E.: Photon Transmission Technique for Studying Film Formation from Polystyrene Latexes Prepared by Dispersion Polymerization Using Various Steric Stabilizers, 1257
Pekel, F. See Benli, S., 1057
Pektaş, İ.
High-Temperature Degradation of Reinforced Phenolic Insulator, 1337
Pertsin, A. J. See Volkov, I. O., 517
Petit, A. See Bouillot, P., 1615
Petrova, T. See Li, S., 989
Pfromm, P. See Fan, X.-D., 305
Phan, T.-T. M.
—; DeNicola, A. J., Jr.; Schadler, L. S.: Effect of Addition of Polyoxypropylenediamine on the Morphology and Mechanical Properties of Maleated Polypropylene/Maleated Rubber Blends, 1451
Pillai, C. K. S. See Menon, A. R. R., 1303
Pintauro, P. N. See Graves, R., 827
Pişkin, E. See Denizli, A., 373
Pişkin, E. See Pekcan, Ö., 1257
Pissis, P. See Karabanova, L., 161
Portaccio, M. See Mohy Eldin, M. S., 613, 625
Porter, R. S. See Osawa, S., 1297
Pourjavadi, A.
—; Rezai, N.; Zohuriaan-M, M. J.: A New Homologous Series of Linear Aliphatic Unsaturated Hydroxypolyesters as Polyol Soft Segments for Polyurethanes: Synthesis and Characterization, 173
Pracella, M. See De Petris, S., 637
Prausnitz, J. M. See Hino, T., 2007

Qian, J. W. See Yang, Y. S., 665
Qi, G. R. See Yang, Y. S., 665
Qiu, K. Y. See Wang, H., 2121
Quesada, J.
—; Rubio, M.; Gomez, D.: Lignin Organosolvolysis from Autohydrolyzed Corn (*Zea mays*) Stalks: Ozonation of both Solvolytic Solid and Juice, 1867

Radhakrishnan, G. See Sastry, T. P., 1109
Rakshit, A. K. See Mathakiya, I., 91
Ramachandra, P. See Ramani, R., 2077
Ramani, R.
—; Ramachandra, P.; Ramgopal, G.; Ranganathaiah, C.: Positron Annihilation Study

of Iodine Sorption in Acrylonitrile–Butadiene–Styrene, 2077
Ramesan, M. T.
—; Alex, R.: Dichlorocarbene Modification of Styrene–Butadiene Rubber, 153
Ramgopal, G. See Ramani, R., 2077
Ranganathaiah, C. See Ramani, R., 2077
Ran, S. See Zuo, J., 363
Rao, S. S. See Varkey, J. T., 1473
Rashkov, I. See Li, S., 989
Rätzsch, M. See Braun, D., 2019
Ravey, M.
—; Keidar, I.; Weil, E. D.; Pearce, E. M.: Flexible Polyurethane Foam. II. Fire Retardation by Tris(1,3-dichloro-2-propyl) Phosphate Part A. Examination of the Vapor Phase (the Flame), 217
—; Weil, E. D.; Keidar, I.; Pearce, E. M.: Flexible Polyurethane Foam. II. Fire Retardation by Tris(1,3-dichloro-2-propyl) Phosphate. Part B. Examination of the Condensed Phase (the Pyrolysis Zone), 231
Reboredo, M. M. See Marcovich, N. E., 2069
Renard, C. M. G. C. See Chauvelon, G., 331
Rezai, N. See Pourjavadi, A., 173
Rhim, J.-W.
—; Yeom, C.-K.; Kim, S.-W.: Modification of Poly(vinyl alcohol) Membranes Using Sulfur-succinic Acid and Its Application to Pervaporation Separation of Water–Alcohol Mixtures, 1717
Richter, S. See Braun, D., 2019
Rodríguez-Pérez, M. A.
—; Duijsens, A.; de Saja, J. A.: Effect of Addition of EVA on the Technical Properties of Extruded Foam Profiles of Low-Density Polyethylene/EVA Blends, 1237
Root, A. See Hietalahti, K., 671
Rose, C. See Sastry, T. P., 1109
Rossi di Montelera, L. See Costa, L., 1067
Rossi, S. See Mohy Eldin, M. S., 625
Rossi, S. See Mohy Eldin, M. S., 613
Rowell, R. See Simonsen, J., 1567
Rozman, H. D. See Mohd Ishak, Z. A., 2189
Rubio, M. See Quesada, J., 1867
Ruckenstein, E. See Li, H., 999
Ruiz-Treviño, F. A.
—; Paul, D. R.: Gas Permselectivity Properties of High Free Volume Polymers Modified by a Low Molecular Weight Additive, 403
Russo, A. P. See Brunswick, A., 339
Rusznák, I. See Vabrik, R., 111

Saad, A. L. G.
—; Hassan, A. M.; Sayed, W. M.: Electrical Properties of Some Newly Prepared Insulating Greases, 699
Saito, M. See Omi, S., 897
Sakai, K. See Maeda, Y., 2095
Salih, B. See Denizli, A., 657
Samal, R. K.
—; Senapati, B. K.: Synthesis and Characterization of Some Novel Copolymer Resins. III, 2183
Samanta, A. K. See Ghosh, P., 1139
Samios, C. K. See Kalfoglou, N. K., 589
Samui, A. B.
—; Suryavanshi, U. G.; Patri, M.; Chakraborty, B. C.; Deb, P. C.: Sequential Interpenetrating Polymer Network Based on Nitrile–Phenolic Blend and Poly(alkyl methacrylate), 255
Sanda, F.
—; Takamatsu, Y.; Hoshino, F.; Endo, T.: Radical Ring-Opening Emulsion Polymerization of Vinylcyclopropanes, 497
Şanli, O. See Yiğitoğlu, M., 1935
Santucci, M. See Mohy Eldin, M. S., 613, 625
Sarbolouki, M. N. See Mohammadi-Rovshandeh, J., 1949
Sastry, T. P.
—; Rose, C.; Gomathinayagam, S.; Radhakrishnan, G.: Chemically Modified Fibrin–Gelatin Composites: Preparation and Characterization, 1109
Saulnier, L. See Chauvelon, G., 331
Sayed, W. M. See Saad, A. L. G., 699
Schadler, L. S. See Phan, T.-T. M., 1451
Schieroni, A. G. See Mendichi, R., 1651
Seisa, E. A. See Hamza, A. A., 1371
Senapati, B. K. See Samal, R. K., 2183
Şenel, S. See Denizli, A., 657
Şenkal, B. F. See Biçak, N., 2113
Seo, K. H. See Cho, K., 1925
Seretoudi, G. See Sideridou-Karayannidou, I., 1517
Seto, F.
—; Fukuyama, K.; Muraoka, Y.; Kishida, A.; Akashi, M.: Thermosensitive Surface Properties of Polyethylene Film with Poly (N-isopropylacrylamide) Chains Prepared by Corona Discharge Induced Grafting, 1773
Seves, A. See Canetti, M., 1877
Sevil, A. U. See Güner, A., 891
Sforzini, D. See Crini, G., 1973
Shao, B. See Zhang, B., 1555
Shaov, A. H. See Ozden, S., 1013
Sharma, R.
—; Henderson, C.; Warren, G. W.; Burkett, S. L.: Study of Electrical Properties of Polymeric Materials Using Electrochemical Impedance Spectroscopy, 553
Shau, M.-D.
—; Wang, T.-S.: Structure Characterization, Reactivity, and Thermal Properties of New Cyclic Phosphine Oxide Epoxy Resin Containing Tetra-Oxirane Rings, 1397
Shehap, A.
—; Abd Allah, R. A.; Basha, A. F.; Abd El-Kader, F. H.: Electrical Properties of Gamma-Irradiated, Pure, and

Nickel Chloride-Doped Polyvinyl Alcohol Films, 687
Shen, W.-C. See Zhang, Z.-Z., 2175
Shen, Y.
—; Wan, M.: Soluble Conducting Polypyrrole Doped with DBSA–CSA Mixed Acid, 1277
Shi, G. See Li, C., 1027
Shi, L.-Y. See Wang, Z.-Q., 1363
Shim, H. J. See Oh, T. H., 1209
Shiotani, A.
—; Washio, K.: Preparation of Polyamides Containing *para*-Linked Dimethylbiphenylene Moieties, 847
Shi, Y.
—; Wang, X.; Chen, G.; Golemme, G.; Zhang, S.; Drioli, E.: Preparation and Characterization of High-Performance Dehydrating Pervaporation Alginate Membrane, 959
Shogren, R. L.
—; Lawton, J. W.; Tiefenbacher, K. F.; Chen, L.: Starch–Poly(vinyl alcohol) Foamed Articles Prepared by a Baking Process, 2129
Shonaike, G. O.
—; Kiat, T. H.: Studies on Miscibility of Uncompatibilized Nylon 66–Santoprene Blends, 1285
Shustov, G. B. See Ozden, S., 1013
Siddaramaiah
—; Joy, V. A.; Swarna Gowri, A. N.; Leena, B.; Hemmige, V.; Deepa, S.; Vydehi Hemmege, V.: Tensile Behavior of Composite Patched Cracked Metallic Structures, 2063
—; Mallu, P.; Somashekar, R.: Characterization of Castor Oil-Based Interpenetrating Polymer Networks of PU/PS, 1739
Siddiqui, M. A. See Nair, N. R., 53
Sideridou-Karayannidou, I.
—; Seretoudi, G.: Copolymers of *N*-Vinylcarbazole and Ethyl Iodide Quarternized Dimethylaminoethyl Methacrylate, 1517
Simal, A. L.
—; Martin, A. R.: Structure of Heat-Treated Nylon 6 and 6.6 Fibers. II. Recrystallization Mechanism, 453
—; Martin, A. R.: Structure of Heat-Treated Nylon 6 and 6.6 Fibers. I. The Shrinkage Mechanism, 441
Šimek, L. See Dostál, J., 1917
Simonsen, J.
—; Jacobsen, R.; Rowell, R.: Wood Fiber Reinforcement of Styrene–Maleic Anhydride Copolymers, 1567
Sinha, T. J. M. See Mishra, A., 527
Skala, D. M. See Goods, S. H., 1045
Skrifvars, M. See Hietalahti, K., 671
Smith, B. L.
—; Klier, J.: Determination of Monomer Reactivity Ratios for Copolymerizations of Methacrylic Acid with Poly(ethylene glycol) Monomethacrylate, 1019
Soliman, M. A. See Moharram, M. A., 2049
Somashekar, R. See Siddaramaiah, 1739
Sreenivasan, K.
Effect of the Type of Monomers of Molecularly Imprinted Polymers on the Interaction with Steroids, 1863
Sreenivasan, K.
Solvent Effect on the Interaction of Steroids with a Novel Methyl β-Cyclodextrin Polymer, 1857
Stamm, M. See Denchev, Z., 429
Stedile, F. C. See Haag, M. C., 535
Stefani, P. M.
—; Moschiar, S. M.; Aranguren, M. I.: Polyurethane-Ductilized Epoxy Resins, 1781
Stellato, S. See Mohy Eldin, M. S., 613, 625
Stricker, F.
—; Thomann, Y.; Mülhaupt, R.: Influence of Rubber Particle Size on Mechanical Properties of Polypropylene–SEBS Blends, 1891
Sundholm, F. See Hietalahti, K., 671
Sun, R.
—; Xiao, B.; Lawther, J. M.: Fractional and Structural Characterization of Ball-Milled and Enzyme Lignins from Wheat Straw, 1633
Suryavanshi, U. G. See Samui, A. B., 255
Suwanmala, P. See Kiatkamjornwong, S., 191
Suyama, K.
—; Tsunooka, M.: Effects of Crosslinking by Quinones on Dyeing of Irradiated Films of Copolymers Bearing Photobase Generating Groups, 1177
Suyama, R. See Inagaki, N., 271
Swarna Gowri, A. N. See Siddaramaiah, 2063

Takahashi, H. See Kojima, Y., 129
Takamatsu, Y. See Sanda, F., 497
Takayama, T. See Yoshikawa, S., 1883
Takaya, T. See Matsuda, T., 1227
Takeichi, T.
—; Endo, Y.; Kaburagi, Y.; Hishiyama, Y.; Inagaki, M.: Carbonization and Graphitization of Polyimide Films: Effect of Size of Leaving Group at Imidization, 1613
Tan, B. See Huang, H., 2029
Tasaka, S. See Inagaki, N., 271
Téllez, M. M. See Benavides, R., 1, 11
Tenhu, H. See Lehto, J., 355
Thibault, J.-F. See Chauvelon, G., 331
Thomann, Y. See Stricker, F., 1891
Thomas, S. See Nair, N. R., 53
Thomas, S. See Varkey, J. T., 1473
Tian, D. See Xie, H.-Q., 2169
Tian, R. See Gao, J., 1965
Tiefenbacher, K. F. See Shogren, R. L., 2129
Tirrell, D. A. See Kiick-Fischer, K. L., 281

Tjong, S. C.
—; Xu, S. A.: Impact and Tensile Properties of SEBS Copolymer Compatibilized PS/HDPE Blends, 1099
Tjong, S. C. See Meng, Y. Z., 137
Tondiglia, V. P. See De Rosa, M. E., 523
Torres, M. A. P. R. See Volkov, I. O., 517
Torri, G. See Crini, G., 1973
Toyoda, T. See Manabe, N., 1801
Tregre, G. J. See Mathias, L. J., 475
Tripathy, D. K. See Guriya, K. C., 263
Tsubokawa, N. See Yoshikawa, S., 1883
Tsunooka, M. See Suyama, K., 1177
Turq, P. See Lehmani, A., 503
Túry, G. See Vabrik, R., 111
Tyan, H.-L. See Wei, K.-H., 1581

Uhrich, K. E. See Deng, M., 1353
Ünal, H. İ. See Yiğitoğlu, M., 1935

Vaaramaa, K. See Lehto, J., 355
Vabrik, R.
—; Czajlik, I.; Túry, G.; Rusznák, I.; Ille, A.; Víg, A.: A Study of Epoxy Resin–Acrylated Polyurethane Semi-Interpenetrating Polymer Networks, 111
Varkey, J. T.
—; Chatterji, P. R.; Rao, S. S.; Thomas, S.: Natural Rubber–Styrene Butadiene Rubber Latex Blends: Time-Dependent Rheological Behavior and Film Formation, 1473
Varma, I. K. See Gupta, N., 1759, 1767
Vecchi, C. See Crini, G., 1973
Vedula, S.
—; Hansen, M. G.: In-Line Fiber-Optic Near-Infrared Spectroscopy: Monitoring of Rheological Properties in an Extrusion Process. Part II, 873
Vedula, S. See Hansen, M. G., 859
Vert, M. See Li, S., 989
Vesterinen, E. See Lehto, J., 355
Víg, A. See Vabrik, R., 111
Volkov, I. O.
—; Gorelova, M. M.; Pertsin, A. J.; Filimonova, L. V.; Torres, M. A. P. R.; Oliveira, C. M. F.: Surface Segregation of Components in Poly(vinyl chloride)–Poly(dimethyl siloxane) and Polystyrene–Poly(propylene oxide) Solvent-Cast Blends, 517
Vydehi Hemmege, V. See Siddaramaiah, 2063

Waly, A.
—; Abdel-Mohdy, F. A.; Aly, A. S.; Hebeish, A.: Synthesis and Characterization of Cellulose Ion Exchanger. II: Pilot Scale and Utilization in Dye–Heavy Metal Removal, 2151
Wang, C.-S. See Hwang, H.-J., 1199
Wang, D.-M. See Lee, K.-R., 1191
Wang, G.
—; Li, M.; Chen, X.: Preparation and Water-Absorbent Properties of a Water-Swellable Rubber, 1219
Wang, H.
—; Dong, J. H.; Qiu, K. Y.; Gu, Z. W.: Synthesis of PDON-*b*-PEG-*b*-PDON Block Copolymers and Drug Delivery System Thereof, 2121
Wang, H.-H.
—; Lin, M.-F.: Synthesis and Properties of Nylon-6 Modified with Various Aromatic Polyamides, 1031
Wang, J.-H. See Chiu, H.-T., 1387
Wang, R.-M. See Feng, H.-Y., 1605
Wang, S. See Hao, J. H., 1269
Wang, T.-S. See Shau, M.-D., 1397
Wang, W. See Gao, J., 1485, 1965
Wang, X. See Shi, Y., 959
Wang, Y. A. See Lee, K.-R., 1191
Wang, Y. D.
—; Cakmak, M.: Hierarchical Structure Gradients Developed in Injection-Molded PVDF and PVDF–PMMA Blends. I. Optical and Thermal Analysis, 909
Wang, Y.-P. See Feng, H.-Y., 1605
Wang, Z.-Q.
—; Shi, L.-Y.; Zhang, Z.-P.: Morphological Structure and Mechanical Properties of Polyurethane Modified with Methyl Methacrylate, 1363
Wan, M. See Shen, Y., 1277
Warren, G. W. See Sharma, R., 553
Washio, K. See Shiotani, A., 847
Waterhouse, J. See Fan, X.-D., 305
Weigand, F. See Abiru, T., 1493
Wei, K.-H.
—; Tyan, H.-L.: Miscibility in Blends of Liquid Crystalline Poly(*p*-oxybenzoate-*co*-*p*-phenyleneisophthalate) and Polyarylate, 1581
Weil, E. D. See Costa, L., 1067
Weil, E. D. See Ravey, M., 217, 231
Wortmann, F.-J.
—; Deutz, H.: Thermal Analysis of *Ortho*- and *Para*-Cortical Cells Isolated from Wool Fibers, 1991

Xiao, B. See Sun, R., 1633
Xia, Z. See Yue-E, F., 1575
Xie, D.
—; Ge, H.; Zhang, L.; Yang, C.: The Synthesis and Characterization of Novel Carboxyl Telechelic Microspheres, 205
Xie, H.-Q.
—; Gao, G.-H.; Guo, J.-S.; Lin, J.-M.: Synthesis and Properties of Three Kinds of Phenylenevinylene Copolymers with Dialkoxyphenylene Units, 937
—; Tian, D.; He, P.; Guo, J.: One-Step Preparation of Electrorheological Suspension Containing Poly(lithium acrylate) Via Inverse Emulsion Polymerization and Study of Its Electrorheological Effect, 2169
Xue, Q. See Yu, L., 1643
Xue, Q.-J. See Zhang, Z.-Z., 2175

Xu, S. A. See Tjong, S. C., 1099
Xu, Z. See Yan, C., 969

Yakai, F.
—; Jingwu, S.; Fanglian, Y.; Yingbo, Y.: Synthesis of Functional Styrene Derivatives–Carbon Monoxide Copolymer (Note), 855
Yamamoto, M. See Okubo, T., 1791
Yamamoto, N. See Maeda, Y., 2095
Yamamoto, S. See Matsuoka, T., 807
Yamamoto, T. See Matsuda, T., 1227
Yan, C.
—; Xu, Z.; Cheng, S.; Feng, L.: Effect of Amount of Emulsifier Added in the Second Stage on Morphology of Composite Latex Particles, 969
Yang, C. See Xie, D., 205
Yang, D. See Cai, Y., 1689
Yang, M.-C.
—; Yu, D.-G.: Influence of Activation Temperature on the Properties of Polyacrylonitrile-Based Activated Carbon Hollow Fiber, 1331
Yang, S. L. See Yang, Y. S., 665
Yang, Y. S.
—; Qi, G. R.; Qian, J. W.; Yang, S. L.: Acryloyl Chloride Polymer, 665
Yeh, P.-L. See Lee, W.-F., 1597
Yeom, C.-K. See Rhim, J.-W., 1717
Ye, W. See Li, C., 1027
Yilmazer, Ü. See Benli, S., 1057
Yingbo, Y. See Yakai, F., 855
Yiğitoğlu, M.
—; Ersöz, M.; Coşkun, R.; Şanli, O.; Ünal, H. İ.: Adsorption of Copper(II), Cobalt(II), and Iron(III) Ions from Aqueous Solutions on Poly(ethylene terephthalate) Fibers, 1935
Yoon, H. G. See Han, S., 1125
Yoshida, M. See Matsuda, T., 1227
Yoshii, F. See Darwis, D., 581
Yoshikawa, S.
—; Takayama, T.; Tsubokawa, N.: Grafting Reaction of Living Polymer Cations with Amino Groups on Chitosan Powder, 1883
Yu, D.-G. See Yang, M.-C., 1331
Yue-E, F.
—; Xia, Z.: Radiation-Induced Graft Copolymerization of 2-Hydroxyethyl Methacrylate onto Poly(γ-methyl-L-glutamate) Membrane in Ethanol Solution, 1575
Yu, J. See Gao, J., 1965
Yu, L.
—; Liu, W.; Xue, Q.: The Effect of Various Inorganic Fillers on the Friction and Wear Behaviors of Polyphenylene Sulfide, 1643

Zaikov, G. E.
—; Lomakin, S. M.: Polymer Flame Retardancy: A New Approach, 715
Zendron, M. See De Petris, S., 637
Zhang, B.
—; Guo, S.; Shao, B.: Synthesis and Characterization of Liquid Crystalline Ionomers with Polymethylhydrosiloxane Main-Chain- and Side-Chain-Containing Sulfonic Acid Groups, 1555
Zhang, H. See Huang, H., 2029
Zhang, L. See Gong, P., 1313, 1321
Zhang, L. See Xie, D., 205
Zhang, S. See Shi, Y., 959
Zhang, Z.-P. See Wang, Z.-Q., 1363
Zhang, Z.-Z.
—; Xue, Q.-J.; Liu, W.-M.; Shen, W.-C.: Friction and Wear Behaviors of Several Polymers Under Oil-Lubricated Conditions, 2175
Zhao, L. See Miller, T. M., 947
Zhao, S. See Liao, B., 1671
Zhao, X. See Fang, Y.-E., 75
Zhao, Y.
—; Bao, C.; Feng, R.; Mason, T. J.: A New Etching Method of PVC Plastic for Plating by Ultrasound, 1411
Zhuang, L. See Gong, P., 1321
Zhu, J. See Lu, J., 1563
Zhu, X. See Lu, J., 1563
Zohuriaan-M, M. J. See Pourjavadi, A., 173
Zuo, J.
—; Liang, D.; Ran, S.; Chen, T.; Niu, A.; He, B.: A Study of Crosslinking Copolymerization and its Fractal Behavior of Styrene-Divinylbenzene, 363

Journal of Applied Polymer Science

Subject Index to Volume 68

ABA block copolymer, 2121
Abbe's number, 1791
Absorbents, 281
Absorption, 681, 1417
Acetylcholinesterase (AChE), 323
Acidic ester, 1423
Acrylamide, 613
Acrylated urethane oligomer, 111
Acrylic acid, 613, 625
Acrylic acid finished jute, 63
Acrylic-grafted jute, 63
Acrylonitrile, 999
Acrylonitrile–butadiene–styrene, 2077
Acryloyl chloride, 665
Activated hollow carbon fiber, 1331
Activated sludge, 2095
Activation temperature, 1331
Additive, 1191
Adsorption, 1935
Affinity membranes, 657
Agave, 681, 1417
Aggregate-free pretreatment, 1801
Aggregates, 1801
Albumin adsorption, 657
Alginate composite membranes, 959
4-alloylphenylazobeneze sulfonic acid, 1555
Allylthiourea, 1563
Aluminum, 535
Amino group, 1883
Amorphous SiO_x film, 785
Amperometric biosensor, 145
Annealing, 1955
Antidegradants, 1821
Antimony polymer, 927
Aqueous polymer dispersion, 1671
Aqueous solutions, 891
Aqueous two-phase systems, 2007
Aromatic, 305
Aromatic compounds, 1973
Aromatic diamines, 1759, 1767
Aromatic poly(ether amide), 2141
Aryl-connected carbamate (Ar-carbamate), 121
Atomic force microscopy, 503
Average molar mass between crosslinks, 947
Ball-milled lignins, 1633
Banana, 681, 1417
Barrier resin, 561
Benzophenone, 827
Bilirubin removal, 373
Bimodal denaturation endotherm, 1991
Biodegradable, 2129
Biodegradation, 1677, 2095
Biomedical, 1353
Biopolymers, 29
Biosensor, 1941
Biphenyl epoxy resin, 1125
Bipolaronic clusters, 709
2,5-Bis [(4-aminophenyl)4-benzamide]-3,4-diphenylthiophene, 1523
2,7-Bis(4-maleimidophenoxy)naphthalene, 1199
Bis-azodiols, 2041
Bismaleimide, 1199
Bismaleimide · triazine resin, 1199
Bisphenol-A, 137, 1903
Bisphenol-S, 137
Bitumen, 53
Blends, 255, 429, 517, 589, 597, 637, 727, 909, 1237, 1245, 1285, 1451, 1473, 1591, 1839, 1877, 1891, 2019, 2141
Block copolyesterether, 2095
Block copolymer, 989, 1363
Block structure, 2159
Blocked urethane prepolymer, 1781
Bonding temperature, 1343
Boron uptake, 2113
Boron-specific resin, 2113
Broom fibers, 1077
Butyl acrylate, 649
Butyl rubber, 2159

$CaCO_3$ filler, 1543
Calorimetry, 345
Camphor sulfonic acid (CSA), 1277
Capacitance, 553
ε-caprolactone, 205
Carbon monoxide, 855
Carbonization, 1613
Carrageenan gel, 29
Cast acrylic sheets, 527
Cast polymerization, 1227
Castor oil, 1739
Catalyst, 1125
Cationic hydrogel, 103
Cellulose, 293, 331, 1091
Cellulose acetate membrane, 1677
Cellulose acetate membranes, 1269
Cellulose esters, 293
Cellulose x-ray, 2107
Chain degradation, 2019
Chain mobility, 1321
Char yield, 37, 1397
Characterization, 1877
Chemical modification, 637
Chitosan, 571
Chitosan grafting, 1321
Chitosan powder, 1883
Chitosan/gelatin hybrid membranes, 1751
Chloroprene rubber (CR) membrane, 1745
Cholesterol, 1863
Cibacron Blue F3GA, 657
Cis-2-butene-1,4-diol, 173
CO_2, 1269
Collapse stress, 1045
Combined VRT/DKT/beam element analysis, 417
Compatibilization of polymer alloys, 589
Compatibilizer, 1099, 1451, 2189
Complex viscosity, 873
Composite, 1057, 1431, 1643
Composite patched metallic structure, 2063
Composite polymer particles, 185
Composites, 475, 709, 1077, 1109, 1567, 1845
Compressed gas–polymer systems, 1441
Compression molding, 1431
Computer simulation, 807, 969
Concentration-dependent diffusion, 1503
Condensation, 305
Condensation polymer, 103
Condensed phase, 231

Congo Red-modified poly(EGDMA–HEMA) microbeads, 373
Constraint effect, 1245
Conversion, 1829
Copolyesters, 387
Copolymer, 91, 859, 873
Copolymer compatibilizer, 1845
Copolymer resins, 2183
Copolymerization, 1149
Copolymers, 527, 855, 937, 1567
Copolymers of *N*-vinylcarbazole (NVC), 1517
Copper corrosion, 775
Core-shell, 185
Core–shell latex, 969
Corn stalks, 1867
Corona discharge induced grafting, 1773
Coupling agent, 2189
Criterion, 1643
Critical exponent, 363
Crosslink, 1177
Crosslinked polymer, 1979
Crosslinking, 63, 571, 581, 1321, 1423, 1717, 1973, 2019
Crosslinking copolymerization, 363
Crystalline structure, 381
Crystallinity, 571
Crystallite sizes, 2107
Crystallization kinetics, 1159
CSA–DBSA mixed acid, 1277
Cu-containing SiO_x film, 775
Cure kinetics, 1125
Cure systems, 597
Curing characteristics, 1759
Cutting and chipping resistance, 1537
Cyclic oligomer, 129
Cyclic phosphine oxide epoxy resin, 1397

dc current–time characteristics, 687
Deacetylation percentage, 571
Decomposition temperature, 1703
Degradation, 989, 1337
Degree of grafting, 83
Degree of substitution, 331
Dehydration of organic solvents, 959
Dialkoxyphenylene units, 937
Dialysis rate, 75
Diamantane, 315
Diblock copolymer, 1615
Dichlorocarbene, 153
Dicyanate ester, 1199
Dicyclopentadiene-type phenolic resin, 1125
Dielectric constant (ε'), 687
Dielectric relaxation spectroscopy, 161
Differential scanning calorimetry, 1581, 1991, 2095
Differential scanning calorimetry (DSC), 1353
Diffraction grating, 523
Diffusion, 815, 2057
Diisocyanate, 1857
β-Diketone, 1
Dimer acid, 305
3,3′-dimethylbiphenyl–4,4′-dicarboxylic acid, 847
3,4′-dimethylbiphenyl–4,3′-dicarboxylic acid, 847
Dimethylene ether linkage, 1811
1,4-dioxan-2-one, 2121
1,4-Dithiane, 1791
Diphenylacetylene, 129
Direct current (dc) electrical conductivity (σ), 687
Direct plasma treatment, 271
Dispersion polymerization, 897
Dissociation, 1811
Dodecyl benzene sulfonic acid (DBSA), 1277
Doping, 1277
Drawing, 1371
DRIFT spectroscopy, 1117
Drug delivery system, 2121
Dry friction conditions, 2175
Dyeability, 2041
Dyeing, 1177
Dyes, 2151
Dye–heavy metal removal, 2151
Dynamic mechanical behavior, 395
Dynamic mechanical properties, 1387
Dynamic mechanical spectroscopy, 947
Dynamic mechanical thermal properties, 1845
Dynamic viscosity, 727

Effect of temperature on metal uptake, 355
Egyptain poly(ethyleneterephthalate) (PET) fibers, 1371
EIS, 553
Elastic, 523
Elastic modulus, 807
Elastomers, 597, 1057
Electrical conductivity, 709, 2049
Electrical insulation, 699
Electrochemical impedance spectroscopy, 553
Electrochemical polymerization, 1027
Electrolyte solutions, 2007
Electrorheological fluid, 2169
Emulsification, 1671
Emulsifier, 969
Emulsion polymerization, 497, 1725, 1997
Emulsions, 1531
Energy absorption, 1045
Enthalpic relaxation, 2141
Enzyme, 2095
Enzyme electrode, 145
Enzyme lignins, 1633
EPDM, 535, 597
Epichlorohydrin–ethylenediamine water purification, 103
Epoxide group, 121
Epoxies, 1621
Epoxy, 1997
Epoxy resin, 111, 1423, 1759, 1767, 1903, 1979
Epoxy-amine, 543
Epoxy–amine resin, 103
Epoxyfumarate resins, 1423
Esterification, 63, 331
Etching method, 1411
Ethanol, 1575
Ethyl iodide (DMAEMA-EI), 1517
Ethylene vinyl alcohol copolymer (EVOH), 1245
Ethylene-covinyl alcohol, 637
Europium, 1605
EVOH–polyolefin blends, 589
Extrudate swell, 1209
Extrusion, 859, 873

Fastness, 2041
Fiber, 681
Fibers, 441, 453, 1077, 1209, 1331, 1371, 1417, 1955
Fibrillation, 1099
Fibrin, 1109
Fibrous adsorbant, 1935
Filler, 263, 2189
Fillers, 1057, 1303, 2069
Film formation, 1257
Films, 331
Finite difference method, 1503
Finite element method, 807, 1209
Fire retardants, 217, 231
Flame retardancy, 1397
Flame retardant, 927
Flame retardants, 1067
Flame-retardant systems, 715
Flammability, 153

Flexible polyurethane foam, 217, 231
Flow fluctuations, 1651
Fluorescence, 1605
Fluorine-containing monomer, 1703
Fluoroelastomer, 815
Foam, 217, 231, 1045, 2129
Foams, 1911
Foams with tailored properties, 1237
Fold surface-free energy, 1159
Forging, 1297
Form birefringence, 1955
γ-form crystal of PP, 381
Fractal, 363
Fractionation, 1493
Fracture, 1781
Fragmentation, 1767
Free energy of mixing, 161
Free volume, 2077
Free-radical copolymerization, 1517
Friction, 2175
Friction and wear behaviors, 1643
Frictional characteristics, 1537
FTIR, 827
Functionalization, 483
Functionalized foams, 1911

β-galactosidase, 613, 625
Gamma irradiation, 191
Gas channel, 417
Gas chromatography–mass spectroscopy, 1867
Gas-assisted injection molding, 417
Gasoline absorption, 561
Gel time, 671
Gelatin, 281, 1109, 1485
Gelation, 1829
Gladstone–Dale equation, 1917
Glass fiber, 977
Glass transition, 161
Glass transition temperature, 827, 1441, 1703
Glass-reinforced phenolic, 1337
Glassy polymer, 1503
Glucose, 145, 1941
Glucose oxidase, 145, 1941
Glucose oxidase (GOD), 323
Glutaraldehyde, 571
Gradient interpenetrating polymer networks (IPNs), 161
Graft copolymerization, 1109, 1485, 1575, 1709, 1745, 1965
Graft copolymerization of jute, 1139
Graft mechanism, 1485
Graft polymerization, 185
Grafted polypropylene, 1159
Grafting, 37, 977, 2019, 2151
Grafting of polymer, 1883
Grafting of polypropylene, 45
Graphite-reinforced phenolic, 1337
Graphitization, 1613
Graphitized film, 1613

HDPE, 561
Heat resistance, 1227
Heat stability, 581
Heat treatment, 441, 453, 2205
Heavy metals, 2151
Heck coupling reaction, 937
HEMA, 625
Hema, 1857
Hemp, 681, 1417
Heterophasic polypropylene, 1159
Hexamethylene, 1857
High free volume polymers, 403
High molecular polyacrylonitrile (PAN), 2205
High pressure, 129
High-density polyethylene, 2189
High-speed stirring, 2029
Holding power, 727
Hollow fiber, 1209
Hollow portion, 1209
Hologram, 523
Homopolymer, 91
Homopolymerization, 1709
Hopping mechanism, 605
HTPB, 1057
Hybrid composite, 1997
Hybrid organic–inorganic composites, 947
2-Hydroxyethyl methacrylate (HEMA), 1745
2-hydroxyethylmethacrylate, 613
Hydrogels, 1597
Hydrogen bonds, 1689
Hydrogenated oligo(cyclopentadiene), 1877
Hydrolysis, 989
Hydrolysis degree, 345
Hydrophilic modification, 271
Hydroquinone, 137
Hydroxyethyl methacrylate, 1109
Hydroxy-terminated polyester, 173
Hyperbilirubinemia, 373

Immiscibility, 1285
Immobilization, 323
Immobilized enzymes, 613, 625
Impact, 1099
Impact resistance, 1227
Impact strength, 395, 1891
Improved adhesion, 1387
Improved jute textile, 63
In vitro drug release, 1751
Indene, 475
Industrial waste treatment, 1935
Infrared analysis, 345
Infrared (IR) analysis, 2183
Infrared spectra, 2049
Initiators, 1725
Injection molding, 909
Injection-molded polypropylene parts, 1661
In-line, 873
Insoluble β-cyclodextrin (β-CD) polymers, 1973
Interchange reactions, 1591
Interfacial adhesion, 1245, 1925
Interfacial adhesion strength of polyimide–copper, 1343
Interfacial bonding, 1313
Interfacial polymerization, 387
Interfacial shear strength, 1767
Internal stress, 1661
Interparticle distance, 1891
Interpenetrating polymer networks (IPNs), 255, 1313, 1321, 1363, 1739
Interpolymer complexation, 2049
Intrinsic viscosity, 1651
Intrinsically softened copolymer, 649
Inverse emulsion polymerization, 2169
Iodine sorption, 2077
Ion exchanger, 2151
Ion-exchange capacities, 355
Ion-exchange resin, 205
Iron (II) chloride, 1725
Irradiation, 581
Irreversible, 605
Isomorphism, 1493
Isophthaloyl chloride, 1523

KBr overlay, 1117
Kelen–Tüdös method, 665, 1517
α-keratin, 1991
Ketyl adduct formation, 827
Kinetic, 121, 739
Kinetics, 543

Lap shear strength, 1185
see under L-ascorbic acid, 897
Lauroyl chloride, 331
LICA 44, 37

Light scattering, 1801
Lignin, 331, 1867
Limiting oxygen index (LOI), 927
Liquid crystalline ionomers, 1555
Liquid crystalline polymer, 1979
Liquid crystalline poly(*p*-oxybenzoate-*co*-*p*-phenyleneisophthalate), 1581
Liquid natural rubber, 53
Liquid–liquid demixing, 1191
Liquid–liquid equilibria, 2007
Lithium bromide as additives, 2087
Living polymer cation, 1883
Lorenz–Lorentz equation, 1917
Low ethylene content polypropylene copolymers, 395
Low molecular weight glassy additive, 403
Low-density polyethylene (LDPE), 1245
Low-resolution NMR, 671

Macromonomeric azo initiator, 1149
MALDI-TOF GPC, 1621
Maleic anhydride, 45, 681, 1417, 1563
Maleic anhydride-grafted linear low-density polyethylene (LLD-*g*-MAH), 1245
Mark-Houwink-Sakurada constants, 1651
Mastication, 2159
Mechanical properties, 739, 1045, 1057, 1297, 1759, 2069, 2189
Mechanical properties of vinyl-grafted jute, 1139
Mechanical property, 1431
Mechanical strength, 1537
Mechanism, 483
Mechanochemical reaction, 45
Melt flow index, 859
Melt-mixing, 977
Melt rheology, 859
Membrane, 503
Membrane formation, 1269
Membranes, 1575
Metal chelate adsorption, 657
Metal ion complexation, 1911
Metal ions, 1935
Metal stearates, 11
Metallic sheet, 1027
Methacrylate copolymer, 1227
Methacrylic acid, 613, 1019
Methacrylic copolymers, 345
Methyl Acrylate Composition, 2205
Methyl methacrylate (MMA), 527, 1725
Methyl β-cyclodextrin, 1857
Microcellular EPDM rubber, 263
Microlayer composites, 561
Microlayers, 793
Microphase separation, 1689
Microphase-separation structure, 2095
Microporous polypropylene sheets, 1543
Microsphere, 205, 1615
Microwave, 543, 1563
Migration, 1821
Miniemulsions, 2029
Miscibility, 1581, 1839
Modeling, 543, 837
Modification, 153
Modified epoxy, 1781
Modified nylon-6, 1031
Modulus, 1045
Moisture absorption, 553, 2069
Moisture regain, 1523
Molecular interaction, 1845
Molecular mass, 1013
Molecular orientation, 1661
Molecular weight, 387, 571
Molecular weight distribution, 2159
Molecularly imprinted polymer, 1863
Molten state, 483, 581
Molybdate, 571
Moment of inertia, 417
Monodispersity, 897
Montmorillonite, 1997
Morphology, 185, 339, 807, 1689, 1845
Multiple regression analysis, 1297
Multivalent ions crosslinking, 959
Multivariate analysis, 1297

Nafion®, 747
Nafion®/dimethylsiloxane hybrids, 747
Nafion®/SiO_2, 747
Nanocomposite, 1997
Native cotton, 2107
Natural gas, 1269
Natural rubber (NR), 1303
Natural rubber (NR)–styrene butadiene rubber (SBR) latex blends, 1473
Near-infrared spectroscopy, 859, 873
Nematic, 1555
NIPA copolymer gels, 355
Nitrile rubber (NBR)–phenolic resin (PH) blend, 255
NMR, 827
N,*N*-dimethylaminoethyl methacrylate, 1517
N-*o*-chlorophenyl maleimide, 527
Novolac, 1417
Novolacs, 1067
N-phenylmaleimide, 1703
NR vulcanizate, 1821
N-tetrahydrofurfurylacrylamide, 1597
Nuclear magnetic resonance, 429
Numerical simulation, 1209
N-vinylpyrrolidone, 1485
Nylon 6, 441, 453, 637
Nylon 6.6, 441, 453
Nylon 6,6, 715
Nylon 66–santoprene, 1285

Oil palm empty fruit bunch, 2189
Oil-lubricated conditions, 2175
Olefins, 855
Olygoketone, 1013
Olygoketonephenolphthaleine, 1013
Ophthalmic lens, 1227
Optical-limiting property, 129
Organic pollutants, 1973
Organic polymer materials, 1773
Orientation, 1613
Ortho/paracortex, 1991
Overall mean pore size, 2087
Oxygen plasma treatment, 271, 1117
Ozone, 1867

Packaging, 2129
Palm oil, 509
Partial immobilization, 1677
Partially hydrolyzed polyacrylamide (HPAM), 191
Particle size, 1891
PBT, 1503
Peel strength, 793
PEG mole fraction, 1949
Pentaerythritol, 11
Permeation coefficient, 75, 83
Permselectivity, 403
Pervaporation, 959, 1191, 1503
Pervaporation separation, 1717
PET/PVC blends, 765
Phase interactions, 637
Phase inversion, 1671
Phase separation, 543, 807, 1829
Phenolic, 1829
Phenol–formaldehyde resins, 1067

Phenylated poly(amide–amide)s, 1523
Phosphorylated cashew nut shell liquid (PCNSL), 1303
Photobase generator, 1177
Photon transmission, 1257
Phthalazinone, 137
Plasma, 765
Plastification, 561
Plating, 1411
Plyphenylene sulfide, 1643
PMLG, 75
PMLG-*b*-PEG, 75
PNMR, 91
Polaron, 605
Poly(1,3-phenylenediamine), 145
Poly(4,4′-diphenylmethane terephthalamide), 1031
Poly(4,4′-diphenylsulfone terephthalamide), 1031
Polyacrylamide, 2049
Polyacrylamide-*co*-poly(*n*-vinyl pyrrolidone), 191
Poly(acrylic acid), 2049, 2169
Polyacrylonitrile hollow fiber, 1331
Polyacrylonitrile (PAN), 2205
Poly(alkyl methacrylates), 255
Polyamide, 305, 1925
Polyamide (PA) sorbents, 323
Polyamides, 315, 847
Poly(amidesulfonamide)s, 2087
Polyanhydride, 345
Polyaniline (PANI), 1839
Poly(aryl ether ether ketone) (PEEK) film, 271
Poly(aryl ether sulfone), 137
Poly(butadiene), 185
Polybutyl acrylate, 649
Polycaprolactone, 581
Polycarbonate, 429, 793, 1191
Polycarbonates, 1441
Polychloroprene, 1219
Polycondensation, 847
Polydispersity, 1615
Polyesters, 387
Poly(ether imide), 2141
Polyetherketone, 1013
Polyethylene, 1099
Polyethylene fiber, 1431
Poly(ethylene glycol), 989, 2121
Poly(ethylene glycol)monomethacrylate, 1019
Poly(ethylene oxide), 1219
Poly(ethylene terephthalate), 429
Poly(ethylene terephthalate) fibers, 1935
Poly(ethylene terephthalate) films, 2057
Poly(ethylene terephthalate) (PET), 837
Polyethylene terephthalate (PET), 1591
Poly(ethylene terephthalate) (PET) fibers, 1955
Poly(HEMA), 657
Polyimide film, 1613
Polyimide prepolymer, 897
Polylactides, 1949
Polymer blend design, 339
Polymer dispersed liquid crystal, 523
Polymer modification, 53
Polymer solutions, 2007
Polymer swelling, 827
Polymer ternary complexes, 1605
Polymerization in solvent, 1615
Polymers, 1567
Polymethyl methacrylate, 1363
Poly(methyl methacrylate) (PMMA), 909
Poly(methyl methacrylate-*co*-ethyl acrylate), 1829
Polymethylhydrosiloxane, 1555
Poly(*m*-phenylene isophthalamide), 1031
Polyolefin, 597
Polyolefin blends, 589
Polyolefin foams, 1237
Polyolefines, 2019
Poly(*p*-phenylenevinylene) (PPV), 937
Polypropylene, 45, 715, 977, 1159, 1297, 1877, 1891
Polypropylene-based composites, 1077
Polypropylenes, 483
Poly(pyrrole hexafluorophosphate) ($PPPF_6$), 605
Polypyrrole (PPy), 1387
Polypyrrole (PPy) powder, 709
Poly(*S*-alkylcarbamate), 1791
Polystyrene, 681, 1099
Polystyrene latexes, 1257
Polystyrene (PS), 1739
Poly(styrene sulfonamide) with glycidyl pendant groups, 2113
Poly(styrene-*co*-acrylonitrile), 793
Polysulfone, 137
Poly(tetrafluoroethylene), 185
Polytetrafluoroethylene, 613
Polyurethane, 1057, 1363
Polyurethane foams, 509, 739
Polyurethane (PU), 1739
Polyurethanes, 217, 231
Polyurethane–chitosan (PU–CH), 1313, 1321
Poly(VI-*co*-VTS), 775, 785
Poly(vinyl alcohol), 2129
Polyvinyl alcohol (PVA), 687
Poly(vinyl chloride), 1801
Poly(vinyl chloride) (PVC), 1411
Poly(vinyl chloride) (PVC) greases, 699
Poly(vinylidene fluoride) (PVDF), 909
Poly(vinylpyrrolidone), 891
Polyvinylsulfide, 1791
Poly(1-butene), 1877
Poly(4-methoxyphenol), 1941
Poly(ε-caprolactone), 989
Poly(ε-caprolactone) (PCL), 1149
Pore size distribution, 1331
Positron lifetime, 2077
Potassium permanganate, 1965
Potassium persulfate/sodium thiosulfate redox initiation system, 1709
Potentiostatic method, 605
Pp membrane, 83
PP–PE blends, 2019
Preheated metal stearates, 1
Pressure-sensitive adhesives, 727
Processing conditions, 483
Propargyl bromide, 475
Propellant, 1057
Propylene–butene-1 copolymer, 1493
Propylene–ethylene block copolymer, 977
Propylene–ethylene copolymer fractions, 381
Protein modification, 281
Proteins, 281
Pseudomonas, 1677
Pull-out test, 1387
PU/P(BMI–UBMI)IPNs, 1689
PVC, 11
PVC–TIPPP–wax gel system, 699
Pyrolysis, 1689

Q and *e* values, 665
Quaternary ammonium, 1091
Quinone, 1177

Radiation grafting, 613, 625
Radiation induced, 83
Radiation-induced graft copolymerization, 1575, 1745
Radical polymerization, 1703
Radical ring-opening polymerization, 497

Reactive compatibilization, 1925
Reactivity ratios, 665, 1019
Recrystallization mechanism, 453
Redox initiator, 2029
Refractive index, 1791
Regenerated cellulose (RC) film, 1313
Remote oxygen plasma treatment, 271
Removal of phenol, 1677
Renewable polyols, 509
Resilience, 1537
Resins, 475, 1423, 2183
Resole, 1811
Retarded crystallization, 1245
Retention of BSA, 2087
Reverse saturable absorption, 129
Rheology, 53, 671
Rigid foams, 509
Rubber, 1451
Rubber compound, 1537
Rubber-elasticity theory, 947
Rutherford backscattering spectrometry, 535

Salting out, 2007
SAN copolymer, 1925
Saturating capacity of emulsifier, 969
Scaling, 363
Scanning electron microscope, 2189
Seeded emulsion polymerization, 969
Segmented polyurethane, 173
Segmented polyurethanes, 1917
Selar™, 561
Self-heating copolymerization, 999
Semi-interpenetrating polymer networks (IPNs), 111
Sequence length distributions, 1019
Shear, 523
Shear adhesion, 727
Shrinkability, 597
Shrinkage mechanism, 441
Silane-modified polyvinylimidazole, 1343
Silica, 1219, 1821
Single fiber, 1767
Single-capillary viscometer, 1651
Size exclusion chromatography, 429, 1651
Size-exclusion chromatography, 1801
SMA, 37
Smectic, 1555
Sodium dodecyl sulfate, 1091
Sol-gel processing, 947
Solid polymer, 2159
Solid state polymerization, 837
Solid-state copolymerization, 1563
Solubility, 1493, 1703, 1867
Soluble conductive polypyrrole (PPy), 1277
Solution, 483
Solution adhesives, 1185
Sol–gel reactions, 747
Sol–gel transition, 29
Sorbent, 323
Sorbitol-modified polymer, 2113
Sorbtion of cation and anions, 103
Sorption, 815
Soy-based, 305
Specific refractive index increments, 1917
Specific sorbents, 373
Spectral subtraction, 1117
Spinodal decomposition, 339
Stabilization, 11
Stabilization procedure, 1
Stabilizers, 1257
Stainless steel, 1027
Starch, 739, 1965, 2129
Statistical and grafted copolymer, 649
Steam, 681, 1417
Steam aging, 1811
Step polymerization, 1013
Stereospecificity, 483
Strain–stress behavior, 561
Stress–strain, 263
Stretching ratio, 1543
Structural behavior, 1363
Structural hierarchy, 909
Structural reinforcement, 417
Structure flammability relationship, 927
Styrene, 897
Styrene derivatives, 855
Styrene-divinylbenzene, 363
Styrene–acrylonitrile resinl triphenyl phosphate, 1067
Styrene–butadiene rubber, 153
Styrene–maleic anhydride, 1567
Sugar-beet pulp, 331
Sulfer, 2159
Sulfur mustard, 2057
Superabsorbent, 191
Surface modification, 271, 765, 1773
Surface segregation, 517
Surface tension, 1091
Surface treatment, 2069
Surfactants, 1531
Swelling, 503, 1597
Synthesis, 173, 315

Technical properties of foams, 1237
Teflon, 625
Telechelic, 205
Temperature dependence, 1661
Tensile behavior, 2063
Tensile impact, 561
Tensile properties, 1925
Tensile strength, 2063
Terephthaloyl chloride, 1523
Termination, 1883
Ternary blends, 1877
Tertiary amide polymers, 1839
Tertiary amine, 121
Testosterone, 1863
Tetra-oxirane rings, 1397
TGA, 91
Thermal, 153
Thermal analysis, 1431
Thermal annealing, 1371
Thermal degradation, 293
Thermal expansion coefficient, 807
Thermal properties, 1057, 1353, 1523
Thermal property, 1703
Thermal resistance, 37
Thermal stability, 1397, 1759
Thermal treatment, 11
Thermodynamic compatibility, 161
Thermogravimetric analysis (TGA), 1353, 2183
Thermomechanical method, 2159
Thermooxidative degradation, 785
Thermoreversible hydrogel, 1597
Thermoset, 1979
Thiophene, 1027
Transesterification, 173, 429
Transition metal chlorides, 891
Transport properties, 2141
TREF, 381
Triblock copolymers, 1949
True M_w, 1621
Turbidity method, 29

UF membranes, 2087
UHMPE fiber, 1117
UHMWPE fiber, 1387
Ultrahigh-molecular-weight polyethylene, 1353
Ultrasonic irradiation effects, 45
Ultrasonification, 2029
Ultraviolet curing, 111
Unsaturated polyester, 671
Uptake of Zn, Ni, and Cr ions, 355

Urethane–epoxy copolymers, 1781
UV irradiation, 1177
UV photocrosslinking, 827

Vacuum technique, 1821
Vanadium, 535
Vapor phase, 217
Vinyl acetate, 91, 999
Vinyl chloride, 649
Vinyl grafting on delignified and hemicellulose-depleted jute, 1139
Vinylcyclopropane, 497
Vinylpyrrolidone, 91
Viscoelastic model, 727
Viscoelastic properties, 671
Viscosity, 91, 1473
VITONS, 815
Vogel equation, 1917

Water, 681
Water, 1417
Water resistance, 1185
Water soluble colored polyester, 2041
Water uptake, 553, 1615
Water-absorbent resin, 1219
Water-resistant films, 1313
Water-selective membrane, 1717
Water-soluble, 1091
Water-soluble polyurethane surfactants, 1531
Water-swellable rubber, 1219
Water–alcohol mixtures, 1717
Wear, 2175
Wet phase inversion, 1269
Wet-phase inversion, 1191
Wheat bran, 331
Wheat straw, 1633
Wood, 1567
Wood flour/thermoplastics composites, 1845
Wood polymer composites, 1417
Woodflour composites, 2069
Wood-to-wood bonding, 1185
Wood–polymer composites, 681
Wound dressing, 1109

XPS, 1643